

---

# ANESTHESIA & ANALGESIA

---

*Journal of the International Anesthesia Research Society*

---

Index  
Volume 73, 1991

---

## **BOARD OF TRUSTEES**

### **International Anesthesia Research Society**

Douglas B. Craig, MD, FRCPC, *Chairman*  
Noel W. Lawson, MD, *Vice Chairman and Treasurer*  
Bruce F. Cullen, MD, *Secretary*  
David R. Beven, MA, MB, BChir  
Edward D. Miller, Jr, MD  
Dean H. Morrow, MD  
Robert K. Stoelting, MD  
Stephen J. Thomas, MD  
John L. Waller, MD  
K. C. Wong, MD, PhD  
E. Paul Didier, MD, *Emeritus Trustee*  
Paul R. Dumke, MD, *Emeritus Trustee*  
John T. Martin, MD, *Emeritus Trustee*  
Emerson A. Moffitt, MD, *Emeritus Trustee*  
Morris J. Nicholson, MD, *Emeritus Trustee*  
B. B. Sankey, MD, *Emeritus Trustee*  
T. H. Seldon, MD, *Emeritus Trustee*

## **EDITORIAL BOARD**

### **Anesthesia and Analgesia**

#### *Editor-in-Chief*

Ronald D. Miller, MD

#### *Association Editor-in-Chief*

John H. Tinker, MD

#### *Editors*

David R. Bevan, MA, MB, BChir  
Phillip O. Bridenbaugh, MD, *Regional Anesthesia and Pain Management*  
Mieczyslaw Finster, MD, *Obstetric Anesthesia*  
Thomas J. Gal, MD  
Paul R. Hickey, MD, *Pediatric Anesthesia*  
Patricia A. Kapur, MD, *Ambulatory Anesthesia*  
Edward D. Miller, Jr, MD  
Kenji Mori, MD  
Walter S. Nimmo, MD, BSc, FRCP, FFARCS  
Nathan L. Pace, MD  
Richard J. Palahniuk, MD  
Ronald G. Pearl, MD, PhD, *Critical Care*  
Donald S. Prough, MD, *Neurosurgical Anesthesia*  
Joseph G. Reves, MD, *Cardiovascular Anesthesia*  
John J. Savarese, MD  
Hugo Van Aken, MD

#### *Book Review Editor*

Norig Ellison, MD

## Author Index

- Abdel-Latif M, see Crystal GJ
- Abou-Donia MM. Lack of interaction between prior succinylcholine administration and doxacurium-induced neuromuscular block (letter), 237
- Abouleish E, Merriman T. In obstetrics: keep the water colorless and clear (letter), 674
- Afshar M, see Larijani GE
- Aho MS, Erkola OA, Scheinin H, Lehtinen A-M, Korttila KT. Effect of intravenously administered dexmedetomidine on pain after laparoscopic tubal ligation, 112
- Akins RE, see Audenaert SM
- Alagesan R, see Reinsel RA
- Albin MS, Ritter RR, Pruett CE, Kalff K. Venous air embolism during lumbar laminectomy in the prone position: report of three cases, 346
- Albrecht RF, see Hoffman WE
- Allen G. Propofol and malignant hyperthermia (letter), 359
- Alsip NL, see Asher EF
- Alston RP. Cerebral circulation and oxygen uptake parallels (letter), 504
- Anagnostou JM, see Moorthy SS
- Andersen KH. A method to assess correct endotracheal tube placement (letter), 507
- Annat GJ, see Viale JP
- Antebi ME. Preanesthetic Assessment. Volume 8, No. 4 of Anesthesia Clinics of North America by Elizabeth A. M. Frost, ed. (book review), 511
- Antoine JA, see Reynolds PC
- Anzai Y, Nishikawa T. Heart rate responses to body tilt during spinal anesthesia, 385
- Apfelbaum JL, see Lichter JL
- Applegate RL II, see Schell RM
- Arendt I, see Brüssel T
- Arimura H, Bosnjak ZJ, Hoka S, Kampine JP. Modifications by halothane of responses to acute hypoxia in systemic vascular capacitance, resistance, and sympathetic nerve activity in dogs, 319
- see Sato M
- Arismendy J, see Ramanathan S
- Arndt GA, Klessig H. Aseptic closed system for injections through continuous spinal catheters (letter), 824
- Arthur GR, see Feldman HS
- Asher EF, Alsip NL, Zhang PY, Harris PD. Halothane attenuates small arteriole vasodilation to serotonin (5-HT) in skeletal muscle, 583
- Ashurst NH. Use of a "loading port" for syringe pumps (letter), 670
- Atkins RF. Prevention of tachycardia and hypertension associated with tracheal intubation (letter), 502
- Audenaert SM, Montgomery CL, Stone B, Akins RE, Lock RL. Retrograde-assisted fiberoptic tracheal intubation in children with difficult airways, 660
- Axelsson K, see Nydahl P-A
- Babin M, see Bernard J-M
- Bacon DR, Lema MJ. The International Anesthesia Research Society seal (letter), 830
- Badner NH, Komar WE. Addition of low-dose bupivacaine to epidural fentanyl infusion (letter, reply), 367
- Komar WE. Analgesic synergy between intrathecal opioids and local anesthetics (letter, reply), 366
- Baele PL, see Gautier PE
- Baggish MS, see Mangar D
- Baker TR, see Hogue CW Jr
- Banks SJM, see Maze M
- Baraka A. Is hypoxic pulmonary vasoconstriction exaggerated during one-lung ventilation in patients with patent ductus arteriosus? (letter, reply), 358
- Barker SJ. Methods comparison in clinical observational studies (letter, reply), 831
- Hyatt J. Continuous measurement of intraarterial pHa, Paco<sub>2</sub>, and Pao<sub>2</sub> in the operating room, 43
- Barnes RB, see Cooley DM
- Bashein G, see Nessly ML
- Baughman VL, see Hoffman WE
- Baum VC, Tecson ME. Ketamine inhibits transsarcolemmal calcium entry in guinea pig myocardium: direct evidence by single cell voltage clamp, 804
- Baumgarten RK, see Kingsley CP
- Bedford RF, see Reinsel RA
- Beebe DS, Belani KG, Mergens P, Liao J-C, So SKS, Najarian JS, Palahniuk RJ. Anesthetic management of infants receiving an adult kidney transplant, 725
- Belani KG, Tuohy SE, Sweeney MF, Gillingham K, Komanduri V, Palahniuk RJ. Is dantrolene safe to administer in sepsis? The effect of dantrolene after endotoxin administration in dogs and rats, 289
- Belani KG, see Beebe DS
- Benhamou D, Veillette Y, Narchi P, Ecoffey C. Ventilatory effects of premedication with clonidine, 799
- Bennett H, Glassenberg R. Another cause for obstruction of intravenous infusion tubing (letter), 98
- Benson KT, see Nakazawa K
- Benumof JL, see Brodsky JB
- Berman ML, see Hyman SA
- Bernard J-M, Pinaud M, François T, Babin M, Macquin-Mavier I, Letenneur J. Deliberate hypotension with nicardipine or nitroprusside during total hip arthroplasty, 341
- Bertrand OM, see Viale JP
- Bertrix L, Timour Q, Mazze RI, Freysz M, Samii K, Faucon G. Adverse interaction between bupivacaine and halothane on ventricular contractile force and intraventricular conduction in the dog, 434
- Bettencourt J, see Reynolds PC
- Betts J, see Rowe RW
- Bevacqua BK, Cleary WF, Slucky AV. Catheter spinal anesthesia and cauda equina syndrome: an alternative view (letter), 367
- Birmingham PK. The Pediatric Anesthesia Handbook by Charlotte Bell, Cindy W. Hughes, and Tae Hee Oh, eds. (book review), 834
- Bishop MJ, see deLima LGR
- Bissonnette B, see Hartley EJ
- Blake DW, Way D, Trigg L, Langton D, McGrath BP. Cardiovascular effects of volatile anesthesia in rabbits: influence of chronic heart failure and enalaprilat treatment, 441
- Bodner M, White PF. Antiemetic efficacy of ondansetron after outpatient laparoscopy, 250
- Bogetz MS. Anesthesia for Ambulatory Surgery by Bernard V. Wetchler, ed. (book review), 101
- Bohner D, see Drasner K
- Bose D, see Patel LR
- Bosnjak ZJ
- see Arimura H
- see Polic S
- Boudreauld D, Brasseur L, Samii K, Lemoing J-P. Comparison of continuous epidural bupivacaine infusion plus either continuous

- epidural infusion or patient-controlled epidural injection of fentanyl for postoperative analgesia, 132
- Bourke DL, Grayson RF. Digital nerve blocks can restore pulse oximeter signal detection, 815
- Bradley EL Jr  
see Gregoretti S  
see Kissin I
- Brandom BW, see Woelfel SK
- Brasseur L, see Boudreault D
- Braverman B  
see Paulissian R  
see Sosis MB
- Breen PH, see Isserles SA
- Brits W, see Coetzee AA
- Brock-Utne JG  
see Egan TD  
see Jarvis D
- Brodner G, see Brüssel T
- Brodsky JB, Benumof JL, Ehrenwerth J, Ozaki GT. Depth of placement of left double-lumen endobronchial tubes, 570
- Brown BR Jr, Frink EJ Jr. Metabolism of sevoflurane (letter), 671
- Sevoflurane breakdown in soda lime (letter), 670
- Brown M, see Weinger MB
- Brown PT, see Kissin I
- Brudon JR, see Viale JP
- Brull SJ, Silverman DG. Visual assessment of train-of-four and double burst-induced fade at submaximal stimulating currents, 627
- Brüssel T, Fitch W, Brodner G, Arendt I, Van Aken H. Effects of halothane in low concentrations on cerebral blood flow, cerebral metabolism, and cerebrovascular autoregulation in the baboon, 758
- Buckley S, see Spiess BD
- Bugedo G, see Dagnino J
- Cahalan MK, Weiskopf RB, Eger EI II, Yasuda N, Ionescu P, Rampil IJ, Lockhart SH, Freire B, Peterson NA. Hemodynamic effects of desflurane/nitrous oxide anesthesia in volunteers, 157  
see Weiskopf RB  
see Yasuda N
- Caldwell JE, see Yasuda N
- Campbell C, Viswanathan S, Riopelle JM, Naraghi M. Manufacturing defect in a double-lumen tube (letter), 825
- Campbell FW, see Litman RS
- Camporesi EM, see Mangar D
- Camu F, see Verborgh C
- Capan L, see Ruskin KJ
- Carabine UA, Milligan KR, Moore JA. Adrenergic modulation of preoperative anxiety: a comparison of temazepam, clonidine, and timolol, 633
- Carpenter RL, see Strum DP
- Carr DB, see Silbert BS
- Cartabuke RS, Davidson PJ, Warner LO. Is premedication with oral glycopyrrolate as effective as oral atropine in attenuating cardiovascular depression in infants receiving halothane for induction of anesthesia?, 271
- Casey WF, see Patel RI
- Cepeda MS, see Silbert BS
- Cheng EY, see Sprung J
- Cheng MA, see Hoffman WE
- Cheung AT, see Weiss SJ
- Chung J, see Graf G
- Cioffi AM, see Rosenblatt WH
- Claeys M-A, see Verborgh C
- Cleary WF, see Bevacqua BK
- Coetzee AA, Brits W, Genade S, Lochner A. Halothane does have protective properties in the isolated ischemic rat heart, 711
- Cohen HC, see Paulissian R
- Cohen M, see Loewinger J
- Cohen MM. URI or preoperative obstruction? (letter, reply), 828
- Cole DJ, see Matsumura JS
- Coleman P, see Ramanathan J
- Conard PL, see Rosenblum M
- Cook DR  
see Fischer CG  
see Woelfel SK
- Cooley DM, Glosten B, Roberts JR, Eppes PD, Barnes RB. Bronchospasm after intramuscular 15-methyl prostaglandin  $F_{2\alpha}$  and endotracheal intubation in a nonasthmatic patient, 87
- Coombs DW, Fine N. Spinal anesthesia using subcutaneously implanted pumps for intrathecal drug infusion, 226  
see Fleming BM
- Correll JW, see Young WL
- Coté CJ, see Rolf N
- Covino BG, see Feldman HS
- Cozian AY, see Lepage J-YM
- Crystal GJ, Kim S-J, Salem MR, Abdel-Latif M. Myocardial oxygen supply/demand relations during phenylephrine infusions in dogs, 283  
see Paulissian R
- Dagnino J, Bugedo G. How much epinephrine in a wash (letter), 673
- Datta S, see Ferrante FM
- Daunt D, see Maze M
- Davidson PJ, see Cartabuke RS
- Day FJ. Back pain in volunteers after epidural anesthesia with chloroprocaine (letter), 232
- de Lange S, see Punt CD
- Defalque RJ. A "new" brachial plexus block: some questions and objections (letter), 239
- DeFontes J, see Drasner K
- DeLaria GA, see Tuman KJ
- deLima LGR, Bishop MJ. Lung laceration after tracheal extubation over a plastic tube changer, 350
- deLisser EA, see Helfman SM
- Desuzingues CJ, see Viale JP
- DeWitt DS, see Prough DS
- Diaz J, see Lien CA
- Dierdorf SF, see Moorthy SS
- Dillon F, see Sosis M
- Dobson CE II, see Eisenach JC
- Dohi S, see Matsumiya N
- Donahue PJ. More about the esophageal detector (letter), 671
- Donati FA, see Meistelman C
- Dong M-L, see Woelfel SK
- Doucette AM, see Feldman HS
- Drasner K, Rigler ML, Krejcie TC, Yelich SJ, Scholnick FT, DeFontes J, Bohner D. Catheter spinal anesthesia and cauda equina syndrome: an alternative view (letter, reply), 369
- Drummond JC, see Kalkman CJ
- Dubois MY, Fleming NW, Lea DE. Lack of interaction between prior succinylcholine administration and doxacurium-induced neuromuscular block (letter, reply), 237
- Dubow HD, see Jacobs BR
- Dundee JW. Safety of alcohol after midazolam (letter), 829
- Dwyer R, see Laster MJ
- East TD, see Pace NL
- Eastwood DW. Anterior spinal artery syndrome after epidural anesthesia in a pregnant diabetic patient with scleredema, 90
- Hematoma after epidural anesthesia: relationship of skin and spinal angiomas, 352
- Eckenhoff RG. Problems in Respiratory Care: Clinical Applications of Hyperbaric Oxygen by R. E. Moon and E. M. Camporesi, eds. (book review), 678
- Eckerle JS, see Kemmotsu O
- Ecoffey C  
see Benhamou D  
see O'Kelly B
- Edelman G, see Hoffman WE
- Egan TD, Brock-Utne JG. Asystole after anesthesia induction with a fentanyl, propofol, and succinylcholine sequence, 818
- Eger EI II. Implications of lethal anesthetic doses (letter), 830

- Metabolism of sevoflurane (letter, reply), 671  
see Cahalan MK  
see Laster MJ  
see Liu J  
see Strum DP  
see Sutton TS  
see Weiskopf RB  
see Yasuda N
- Ehrenwerth J, see Brodsky JB
- Eisenach JC, Schlairet TJ, Dobson CE II, Hood DH. Effect of prior anesthetic solution on epidural morphine analgesia, 119
- Elam M, see Kirnō K
- Ellis JS Jr, see Romanoff ME
- Ellison N. Principles of Transfusion Medicine by E. C. Rossi, T. L. Simon, and G. S. Moss, eds. (book review), 241
- Elpeleg ON. Management of a systemic carnitine deficiency (letter), 672
- Elton RJ. Alternative chin-support device during face mask anesthesia (letter), 235
- England R, see Hyman SA
- Eppes PD, see Cooley DM
- Erkola OA, see Aho MS
- Falvey EA, see Rosenblum M
- Faucon G, see Bertrix L
- Fein S, see Fletcher JE
- Feldman D, see Maze M
- Feldman HS, Arthur GR, Pitkanen M, Hurley R, Doucette AM, Covino BG. Treatment of acute systemic toxicity after the rapid intravenous injection of ropivacaine and bupivacaine in the conscious dog, 373
- Ferrante FM, Lu L, Jamison SB, Datta S. Patient-controlled epidural analgesia: demand dosing, 547
- Fine N, see Coombs DW
- Fischer CG, Cook DR. Endotracheal tube cuff pressure in the use of nitrous oxide (letter), 99
- Fitch W, see Brüssel T
- Fleming BM, Coombs DW. Bleeding diathesis after perioperative ketorolac (letter), 235
- Fleming J, see Perrino AC Jr
- Fleming NW, see Dubois MY
- Fletcher JE, Sebel PS, Murphy MR, Mick SA, Fein S. Comparison of sufentanil and fentanyl as supplements to general anesthesia, 622
- Sebel PS, Murphy MR, Smith CA, Mick SA, Flister MP. Psychomotor performance after desflurane anesthesia: a comparison with isoflurane, 260
- Flister MP, see Fletcher JE
- François T, see Bernard J-M
- Frasca A, see Graf G
- Free E, see Rowe RW
- Freire B  
see Cahalan MK  
see Weiskopf RB
- Freysz M, see Bertrix L
- Friedmann-Neiger I, see Loewinger J
- Frink EJ Jr, see Brown BR Jr
- Gattiker RI, see Weiss BM
- Gautier PE, Baele PL, Guerit JM, Kestens-Servaye Y. Changes in somatosensory evoked responses during carotid endarterectomy related to head position, 649
- Gebhart GF, see Maves TJ
- Genade S, see Coetzee AA
- Gershon RY, Mokriski BLK, Matjasko MJ. Intradermal anesthesia and comparison of intravenous catheter gauge, 469
- Gerson JL, see Mangar D
- Gevirtz CM. Improving Anesthesia Outcome. Volume, 5, No. 2 of Problems in Anesthesia by John H. Eichhorn, ed. (book review), 833
- Gibbons JJ, see Yassin K
- Gibbs PS, see Satz AK
- Gilbert TB, Shaffer M, Matthews M. Electrical shock by dislodged spark gap in bipolar electrosurgical device, 355
- Gillingham K, see Beebe DS
- Glassenberg R, see Bennett H
- Glosten B, see Cooley DM
- Gold MI  
see Helfman SM  
see Rosenberg AL
- Gordon AG. Hyperacusis after spinal anesthesia (letter), 506
- Goto H, see Nakazawa K
- Graf G, Sinatra R, Chung J, Frasca A, Silverman DG. Epidural sufentanil for postoperative analgesia: dose-response in patients recovering from major gynecologic surgery, 405
- Gratz I, see Larijani GE
- Grayson RF, see Bourke DL
- Greenberg CS, see Steele SM
- Greene NM. Studies of Narcosis by C. E. Overton, 1901, English translation edited by R. L. Lipnick (book review), 102
- Gregoretti S, Henderson CT, Bradley EL Jr. Simultaneous cardiac output measurements by transtracheal Doppler, electromagnetic flow meter, and thermodilution during various hemodynamic states in pigs, 455
- Croeneveld ABJ, Vermeij CG, Thijs LG. Arterial and mixed venous blood acid-base balance during hypoperfusion with incremental positive end-expiratory pressure in the pig, 576
- Gross JB, see Rosenblum M
- Gruenke LD, see Sutton TS
- Guarnieri DM. Manual of Anesthesia and the Medically Compromised Patient by E. Y. Cheng and J. Kay, eds. (book review), 512
- Guerit JM, see Gautier PE
- Haberkern CM, see Sharar SR
- Hackmann T. Sensitivity and specificity of tests of malignant hyperthermia susceptibility (letter), 233
- Hannallah RS, see Patel RI
- Harris PD, see Asher EF
- Hartley EJ, Bissonnette B, St-Louis P, Rybczynski J, McLeod ME. Scalp infiltration with bupivacaine in pediatric brain surgery, 29
- Hastings RH, Marks JD. Airway management for trauma patients with potential cervical spine injuries, 471
- Hauger R, see Weinger MB
- Heino R, see Reinsel RA
- Helfman SM, Gold MI, deLisser EA, Herrington CA. Prevention of tachycardia and hypertension associated with tracheal intubation (letter, reply), 503
- Helias JH, see Lepage J-YM
- Henderson CT, see Gregoretti S
- Herrington CA, see Helfman SM
- Heyman HJ, see Paulsian R
- Hickey PR. Cardiac dysrhythmias in pediatric patients during anesthesia and the role of oximetry and capnography (editorial), 686
- Himmel HM, Schappert T, Ravens U. Combined effects of volatile anesthetics and phosphodiesterase inhibitors on contractile performance in guinea pig hearts, 76
- Hiraoka I, see Oshita S
- Hoffman WE, Cheng MA, Thomas C, Baughman VL, Albrecht RF. Clonidine decreases plasma catecholamines and improves outcome from incomplete ischemia in the rat, 460
- Edelman G, Kochs E, Werner C, Segil L, Albrecht RF. Cerebral autoregulation in awake versus isoflurane-anesthetized rats, 753
- Hoffmann RW, see Polic S
- Hogue CW Jr, Martyn J, Baker TR, Vourous P. Recovery of pancuronium from peritoneal dialysate in a severely burned child, 83
- Hoka S  
see Arimura H



- see Sato M
- Hood DH, see Eisenach JC
- Hu W-c, see Spahn DR
- Hurley R, see Feldman HS
- Hyatt J, see Barker SJ
- Hyman SA, Smith DW, England R, Naukam R, Berman ML. Pulmonary artery catheter introducers: do the component parts affect flow rate?, 573
- Hynson JM, Sessler DI. Back pain in volunteers after epidural anesthesia with chloroprocaine (letter, reply), 232
- Ide T, see Kochi T
- Ionescu P  
see Cahalan MK  
see Weiskopf RB  
see Yasuda N
- Ishikawa T, see Kemmotsu O
- Ishizawa Y, see Watanabe S
- Isono S, see Kochi T
- Isserles SA, Breen PH. Can changes in end-tidal  $PCO_2$  measure changes in cardiac output?, 808
- Ivankovich AD  
see Sosis MB  
see Tuman KJ
- Izumi Y, see Kochi T
- Jack R, see Sharar SR
- Jacobs BR, Swift CA, Dubow HD, Kosarussavadi B, McGoldrick K, O'Connor TZ, Silverman DG. Time required for oral ranitidine to decrease gastric fluid acidity, 787
- Jamison SB, see Ferrante FM
- Jarvis D, Brock-Utne JG. Use of an oxygen concentrator linked to a drawover vaporizer (letter, reply), 827
- Jayais P, see O'Kelly B
- Johannson ML, see Kissin I
- Johansson J-E, see Nydahl P-A
- Johnson BH  
see Strum DP  
see Weiskopf RB
- Johnson MD, see Moran DH
- Jones BR, see Ley SJ
- Joseph NJ, see Paulsian R
- Joyce TH III. Anesthetic and Obstetrical Management of High Risk Pregnancy by Sanjay Datta, ed. (book review), 103
- Kalff K, see Albin MS
- Kalkman CJ, Drummond JC, Ribberink AA. Low concentrations of isoflurane abolish motor evoked responses to transcranial electrical stimulation during nitrous oxide/opioid anesthesia in humans, 410
- Kampine JP  
see Arimura H
- see Polic S
- see Poterack KA
- Kanto JH, see Kirvelä OA
- Kao YJ, Norton RG, Kleinman S. Is hypoxic pulmonary vasoconstriction exaggerated during one-lung ventilation in patients with patent ductus arteriosus? (letter), 358
- Kapur PA. Editorial: the big "little problem," 243
- Kaye CI, see Sloan TB
- Kelley S, see Weiskopf RB
- Kemmotsu O, Ueda M, Otsuka H, Yamamura T, Okamura A, Ishikawa T, Winter DC, Eckerle JS. Blood pressure measurement by arterial tonometry in controlled hypotension, 54
- Kennedy RH, see Seifen AB
- Keon TP, see Litman RS
- Kestenbaum A, Savarese JJ. Interdisciplinary Pain Management. International Anesthesiology Clinics, Volume 29, No. 1 by Philip W. Lebowitz, ed. (book review), 677
- Kestens-Servaye Y, see Gautier PE
- Kharatian A, see Rosenblatt WH
- Khoo P, see Ramanathan S
- Kien ND, Kramer GC, White DA. Acute hypotension caused by rapid hypertonic saline infusion in anesthetized dogs, 597
- Kim S-J, see Crystal GJ
- Kimura T, see Matsumiya N
- King H-K, Wooten DJ, Liao BS. Continuous spinal anesthesia with hyperbaric and isobaric bupivacaine (letter), 674
- Kingsley CP, Baumgarten RK. Use of an oxygen concentrator linked to a drawover vaporizer (letter), 826
- Kirchhoff G, Stillwell R. Reinserting a catheter into a single-use adapter: a safe and cost-effective method (letter), 826
- Kirnö K, Kunitomo M, Lundin S, Elam M, Wallin BG. Can galvanic skin response be used as a quantitative estimate of sympathetic nerve activity in regional anesthesia?, 138
- Kirvelä OA, Kanto JH. Clinical and metabolic responses to different types of premedication, 49
- Kissin I, Brown PT, Johannson ML. Map of contributions to *Anesthesiology* and *Anesthesia and Analgesia* (letter), 233
- Brown PT, Robinson CA, Bradley EL Jr. Acute tolerance to the hypnotic effect of morphine in rats, 619
- Kiyama S. A simple test for scopolamine mydriasis (letter, reply), 824
- Transient anisocoria after intravenous administration of butylscopolamine (letter), 97
- Klein DS, Schmidt RE Jr. Chronic headache resulting from postoperative supraorbital neuralgia, 490
- Klein SL, Leonard PF. Buzz 'em or burn 'em (letter), 358
- Kleinman S, see Kao YJ
- Klessig H, see Arndt GA
- Knuth TE, Richards JR. Mainstem bronchial obstruction secondary to nasotracheal intubation: a case report and review of the literature, 487
- Koblin DD, see Sutton TS
- Kochi T, Izumi Y, Isono S, Ide T, Mizuguchi T. Breathing pattern and occlusion pressure waveform in humans anesthetized with halothane or sevoflurane, 327
- Kochs E, see Hoffman WE
- Komanduri V, see Beebe DS
- Komar WE, see Badner NH
- Komatsu H, Ohara T, Nogaya J, Yokono S, Ogli K. Subanesthetic concentrations of volatile anesthetics may enhance acquired avoidance training in ddN mice, 295
- Korttila K, see Lichter JL
- Korttila KT, see Aho MS
- Kosarussavadi B, see Jacobs BR
- Kramer GC, see Kien ND
- Krechel SW. Manual of Complications During Anesthesia by Nikolaus Gravenstein, ed. (book review), 240
- Krejcie TC, see Drasner K
- Krishna G, see Moorthy SS
- Kunitomo M, see Kirnö K
- Lagerkranser M, see Stänge K
- LaMantia KR, see Perrino AC Jr
- Langton D, see Blake DW
- Larijani GE, Gratz I, Afshar M, Minassian S. Treatment of postoperative nausea and vomiting with ondansetron: a randomized, double-blind comparison with placebo, 246
- Larson MD. A simple test for scopolamine mydriasis (letter), 824
- Laster M, see Weiskopf RB
- Laster MJ, Taheri S, Eger EI II, Liu J, Rampil JJ, Dwyer R. Visceral losses of desflurane, isoflurane, and halothane in swine, 209
- see Liu J
- Lawson D. Gas Man, Understanding Uptake and Distribution in Anesthesia and Analgesia, 2nd ed. by J. H. Philip (book review), 241
- see Woods AM
- Lea DE, see Dubois MY
- LeDuc A, see Raffé MR

- Lee C. Neuromuscular "block" not "blockade" (letter), 669
- Lee E. Monitoring bilateral breath sounds (letter, reply), 828  
Of stethoscopes and stopcocks (letter), 98
- Lee O, Sommer RM. Pressure monitoring hose causes leak in anesthesia breathing circuit (letter), 365
- Lehtinen A-M, see Aho MS
- Lema MJ, see Bacon DR
- Lemoing J-P, see Boudreault D
- Le Normand Y, see Lepage J-YM
- Leonard PF, see Klein SL
- Leone BJ, see Spahn DR
- Lepage J-YM, Pinaud ML, Helias JH, Cozian AY, Le Normand Y, Souron RJ. Left ventricular performance during propofol or methohexital anesthesia: isotopic and invasive cardiac monitoring, 3
- Letenneur J, see Bernard J-M
- Levi E, see Loewinger J
- Ley SJ, Jones BR. Strength of continuous spinal catheters, 394
- Lhuissier CA, see O'Kelly B
- Liao BS, see King H-K
- Liao J-C, see Beebe DS
- Lichter JL, Zacny J, Korttila K, Apfelbaum JL. Safety of alcohol after midazolam (letter, reply), 829
- Lien CA, Matteo RS, Ornstein E, Schwartz AE, Diaz J. Distribution, elimination, and action of vecuronium in the elderly, 39
- Lillehaug SL, Tinker JH. Why do "pure" vasodilators cause coronary steal when anesthetics don't (or seldom do)? (editorial), 681
- Lindeberg A, see Strömskag KE
- Lipkowski AW, see Silbert BS
- Litman RS, Keon TP, Campbell FW. Termination of supraventricular tachycardia with adenosine in a healthy child undergoing anesthesia, 665
- Littleford JA, see Patel LR
- Liu J, Laster MJ, Eger EI II, Taheri S. Sevoflurane breakdown in soda lime (letter, reply), 670  
see Laster MJ
- Lochner A, see Coetzee AA
- Lock RL, see Audenaert SM
- Lockhart SH  
see Cahalan MK  
see Weiskopf RB  
see Yasuda N
- Loewinger J, Friedmann-Neiger I, Cohen M, Levi E. Effects of atracurium and pancuronium on the oculocardiac reflex in children, 25
- Loubser PG. Action of thiopental in isoniazid-induced seizures: GABA augmentation or electroencephalographic suppression? (letter), 95
- Lu L, see Ferrante FM
- Lumb AB, Nunn JF. Respiratory function and ribcage contribution to ventilation in body positions commonly used during anesthesia, 422
- Lundin S, see Kirnö K
- Lunn JN. Recalled to Life. The Story of a Coma by Esther Goshen-Gottstein (book review), 240
- Mackenzie CF. Anesthesia and Musculoskeletal Disorders. Problems in Anesthesia, Volume 5, No. 1 by Anne C. P. Lui and Edward T. Crosby, eds. (book review), 371
- Macquin-Mavier I, see Bernard J-M
- Maier C, see Wulf H
- Mangar D, Gerson JL, Baggish MS, Camporesi EM. Serum levels of Hyskon during hysteroscopic procedures, 186
- Mani M, see Shantha TR
- March RJ, see Tuman KJ
- Marijic J, see Polic S
- Marks JD, see Hastings RH
- Martin RL, Soifer BE, Stevens WC. Ethical issues in anesthesia management of the do-not-resuscitate patient, 221
- Martyn J, see Hogue CW Jr
- Matjasko MJ, see Gershon RY
- Matsumiya N, Dohi S, Kimura T, Naito H. Reexpansion pulmonary edema after mediastinal tumor removal, 646
- Matsumura JS, Cole DJ, Schell RM, Wong MH. L-644,711, a novel anion transport inhibitor, increases isoflurane MAC in rats, 199
- Matteo RS  
see Lien CA  
see Schwartz AE
- Matthews M, see Gilbert TB
- Maves TJ, Gebhart GF. Analgesic synergy between intrathecal opioids and local anesthetics (letter), 365
- Mayer N, Zimpfer M, Steinbreithner K. Isoflurane impairs the function of ischemic myocardium in acutely but not in chronically instrumented dogs, 16
- Maze M, Virtanen R, Daunt D, Banks SJM, Stover EP, Feldman D. Effects of dexmedetomidine, a novel imidazole sedative-anesthetic agent, on adrenal steroidogenesis: in vivo and in vitro studies, 204
- Mazze RI, see Bertrix L
- McCarthy RJ, see Tuman KJ
- McDonald JS, see Rattan AK
- McGoldrick K, see Jacobs BR
- McGrath BP, see Blake DW
- McKenzie I. URI or preoperative obstruction? (letter), 828
- McLeod ME, see Hartley EJ
- McRae RL, see Spahn DR
- Mehta MP, see Sum Ping ST
- Meistelman C, Plaud BA, Donati FA. Neuromuscular effects of succinylcholine on the vocal cords and adductor pollicis muscles, 278
- Mergens P, see Beebe DS
- Merriman T, see Abouleish E
- Messick JM Jr. Clinical Anesthesia in Neurosurgery by E. A. M. Frost, ed. (book review), 102
- Mick SA, see Fletcher JE
- Miguel R, Morse S, Murtagh R. Epidural air associated with multiradicular syndrome, 92
- Miller RD. Comments by the editor-in-chief (letter), 234  
The changing of the guard (editorial), 1
- Milligan KR, see Carabine UA
- Milocco I, see Zall S
- Minassian S, see Larijani GE
- Minor BG, see Strömskag KE
- Miodownik S, see Reinsel RA
- Mirow A, see Weinger MB
- Mizuguchi T, see Kochi T
- Mokriski BLK, see Gershon RY
- Montgomery CL, see Audenaert SM
- Moore JA, see Carabine UA
- Moorthy SS, Anagnostou JM, Dierdorf SF. A "new" brachial plexus block: some questions and objections (letter, reply), 239
- Krishna G, Dierdorf SF. Resistance to vecuronium in patients with cerebral palsy, 275
- Moran DH, Johnson MD. Continuous spinal anesthesia with hyperbaric and isobaric bupivacaine (letter, reply), 675
- Morgan P. Prevention of nitrous oxide-induced increases in endotracheal tube cuff pressure (letter), 232
- Morse S, see Miguel R
- Motin JP, see Viale JP
- Mullin V, see Rutter TW
- Murphy JL Jr. Endrate or amidate (letter), 237
- Murphy M. Opioids in Anesthesia II by F. G. Estafanow, ed. (book review), 101
- Murphy MR, see Fletcher JE
- Murtagh R, see Miguel R
- Myers KJ, see Schwartz AE
- Nagia AH, see Williams L
- Naito H, see Matsumiya N
- Najarian JS, see Beebe DS
- Nakazawa K, Taneyama C, Benson KT, Unruh GK, Goto H. Mixtures of sodium nitroprusside and

- trimethaphan for induction of hypotension, 59
- Naraghi M, see Campbell C
- Narchi P, see Benhamou D
- Naukam R, see Hyman SA
- Navedo AT, Wald A. Erroneous measurement with invasive monitoring of blood pressure (letter), 96
- Nessly ML, Bashein G. Methods comparison in clinical observational studies (letter), 830
- Nishikawa T, see Anzai Y
- Nogaya J, see Komatsu H
- Norden J, see Patel RI
- Norton RG, see Kao YJ
- Nunn JF, see Lumb AB
- Nydahl P-A, Philipson L, Axelsson K, Johansson J-E. Epidural anesthesia with 0.5% bupivacaine: influence of age on sensory and motor blockade, 780
- O'Connor CJ Jr. Anesthesia for Plastic and Reconstructive Surgery by A. R. Abadir and S. G. Humayun, eds. (book review), 371
- O'Connor TZ, see Jacobs BR
- Ogli K, see Komatsu H
- Ohara T, see Komatsu H
- Oka H, see Oshita S
- Okamura A, see Kemmotsu O
- O'Kelly B, Jayais P, Veroli P, Lhuissier CA, Ecoffey C. Dose requirements of vecuronium, pancuronium, and atracurium during orthotopic liver transplantation, 794
- Olgin J, Rosenberg H. Sensitivity and specificity of tests of malignant hyperthermia susceptibility (letter, reply), 233
- Olympio MA, see Prough DS
- Ono K, see Sato M
- Ornstein E  
see Lien CA  
see Schwartz AE  
see Young WL
- Osgood PF, see Silbert BS
- Oshita S, Oka H, Hiraoka I, Takeshita H. Halothane increases epinephrine threshold for the development of slow responses in isolated canine trabeculae, 449
- Ostapkovich N, see Young WL
- Otsuka H, see Kemmotsu O
- Ozaki GT, see Brodsky JB
- Pace NL, East TD. Simultaneous comparison of intraarterial, oscillometric, and Finapres monitoring during anesthesia, 213
- Palahniuk RJ, see Beebe DS
- Panagopoulos G, see Shevde K
- Partridge BL, see Weinger MB
- Patel LR, Bose D, Littleford JA. Masseter muscle spasm in children (letter, reply), 362
- Patel RI, Hannallah RS, Norden J, Casey WF, Verghese ST. Emergence airway complications in children: a comparison of tracheal extubation in awake and deeply anesthetized patients, 266
- Patel RV, see Tuman KJ
- Pauliassian R, Salem MR, Joseph NJ, Braverman B, Cohen HC, Crystal GJ, Heyman HJ. Hemodynamic responses to endotracheal extubation after coronary artery bypass grafting, 10
- Pearl RG. Mechanical Ventilation and Assisted Respiration: Past, Present, and Future by A. Grenvik, J. Downs, J. Räsänen, and R. Smith, eds. (book review), 833
- Perrino AC Jr, Fleming J, LaMantia KR. Transesophageal Doppler cardiac output monitoring: performance during aortic reconstructive surgery, 705
- Peterson N, see Weiskopf RB
- Peterson NA, see Cahalan MK
- Philipson L, see Nydahl P-A
- Pinaud M, see Bernard J-M
- Pinaud ML, see Lepage J-YM
- Pitkanen M, see Feldman HS
- Plaud BA, see Meistelman C
- Podeschi DM, Sprague DH. Additional factor related to suction trauma (letter), 238
- Polic S, Bosnjak ZJ, Marijic J, Hoffmann RG, Kampine JP, Turner LA. Actions of halothane, isoflurane, and enflurane on the regional action potential characteristics of canine Purkinje fibers, 603
- Pommier CM, see Viale JP
- Poterack KA, Kampine JP, Schmeling WT. Effects of isoflurane, midazolam, and etomidate on cardiovascular responses to stimulation of central nervous system pressor sites in chronically instrumented cats, 64
- Prados W. Addition of low-dose bupivacaine to epidural fentanyl infusion (letter), 366
- Prielipp RC, Zaloga GP. Life-threatening hypocalcemia after abdominal aortic aneurysm repair in patients with renal insufficiency, 638
- Prohovnik I, see Young WL
- Prough DS. Cerebral circulation and oxygen uptake parallels (letter, reply), 504
- Whitley JM, Olympio MA, Taylor CL, DeWitt DS. Hypertonic/hyperoncotic fluid resuscitation after hemorrhagic shock in dogs, 738
- Pruett CE, see Albin MS
- Prys-Roberts C, see Spencer EM
- Punt CD, van Neer PAFA, de Lange S. Pressure sores as a possible complication of epidural analgesia, 657
- Queen JS, see Woods AM
- Quest DO, see Young WL
- Racz GR. Chronic Pain. Volume 4, No. 4 of the Problems in Anesthesia Series by Bradford D. Hare and Perry G. Fine, eds. (book review), 100
- Raffe MR, LeDuc A. Administration of inhaled anesthesia with high-frequency oscillation: an in vitro study, 465
- Ramanathan J, Coleman P, Sibai B. Anesthetic modification of hemodynamic and neuroendocrine stress responses to cesarean delivery in women with severe preeclampsia, 772
- Ramanathan S, Khoo P, Arismendy J. Perioperative maternal and neonatal acid-base status and glucose metabolism in patients with insulin-dependent diabetes mellitus, 105
- Rampil IJ  
see Cahalan MK  
see Laster MJ  
see Sutton TS  
see Weiskopf RB  
see Yasuda N
- Ramsay M, Roberts C. Epidural injection does cause an increase in CSF pressure (letter), 668
- Randel GI. Fiber optics in Anesthesia. Volume 9, No. 1 of Anesthesiology Clinics of North America by James T. Roberts, eds. (book review), 833
- Rattan AK, McDonald JS, Tejwani GA. Differential effects of intrathecal midazolam on morphine-induced antinociception in the rat: role of spinal opioid receptors, 124
- Ravat FAM, see Viale JP
- Ravens U, see Himmel HM
- Reinsel RA, Veselis RA, Heino R, Miodownik S, Alagesan R, Bedford RF. Effect of midazolam on the auditory event-related potential: measures of selective attention, 612
- Reves JG, see Steele SM
- Reynolds PC, Antoine JA, Bettencourt J, Starck TW. Regional hypothermia affects somatosensory evoked potentials, 653
- Ribberink AA, see Kalkman CJ
- Richards JR, see Knuth TE



- Ricksten S-E, see Zäll S  
Rigler ML, see Drasner K  
Riopelle JM, see Campbell C  
Ritter RR, see Albin MS  
Roberts C, see Ramsay M  
Roberts JR, see Cooley DM  
Robinson CA, see Kissin I  
Rolf N, Coté CJ. Persistent cardiac arrhythmias in pediatric patients: effects of age, expired carbon dioxide values, depth of anesthesia, and airway management, 720  
Romanoff ME, Ellis JS Jr. Bupivacaine toxicity after stellate ganglion block (letter), 505  
Rosenberg AL, Gold MI. Catheter spinal anesthesia and cauda equina syndrome: an alternative view (letter), 368  
Rosenberg H, Shutack JG. Masseter muscle spasm in children (letter), 361  
see Olgin J  
Rosenblatt WH, Cioffi AM, Sinatra R, Saberski LR, Silverman DG. Metoclopramide: an analgesic adjunct to patient-controlled analgesia, 553  
Kharatian A. Capnography: never forget the false-positives! (letter), 509  
Rosenblum M, Weller RS, Conard PL, Falvey EA, Gross JB. Ibuprofen provides longer lasting analgesia than fentanyl after laparoscopic surgery, 255  
Rothenberg DM, see Spiess BD  
Rowe R. Management of a systemic carnitine deficiency (letter, reply), 673  
Rowe RW, Betts J, Free E. Perioperative management for laryngotracheal reconstruction, 483  
Ruskin KJ, Capan L. A method of introducing aerosolized medications into the anesthesia circuit (letter), 676  
Rutter TW. A "new" brachial plexus block: some questions and objections (letter), 238  
Mullin V. Pheochromocytoma in a patient with Eisenmenger's complex, 496  
Rybczynski J, see Hartley EJ  
Saberski LR, see Rosenblatt WH  
Salem MR  
see Crystal GJ  
see Paulsian R  
Samii K  
see Bertrix L  
see Boudreault D  
Sarner JB, see Woelfel SK  
Sato M, Hoka S, Arimura H, Ono K, Yoshitake J. Effects of augmenting cardiac contractility, preload, and heart rate on cardiac output during enflurane anesthesia, 590  
Satz AK, Stoelting RK, Gibbs PS. Intraoperative pulmonary edema in a patient being treated with amiodarone, 821  
Savarese JJ, see Kestenbaum A  
Savino JS, see Weiss SJ  
Schappert T, see Himmel HM  
Scheinin H, see Aho MS  
Schele HA, see Wulf H  
Schell RM, Shah PM, Applegate RL II, Shah PM, Schmidt CA. Remote asynergy detected by biplane transesophageal echocardiography during myocardial revascularization without cardiopulmonary bypass, 642  
see Matsumura JS  
Schlagent TJ, see Eisenach JC  
Schmeling WT, see Poterack KA  
Schmid ER, see Weiss BM  
Schmidt CA, see Schell RM  
Schmidt RE Jr, see Klein DS  
Scholnick FT, see Drasner K  
Schwartz AE, Matteo RS, Ornstein E, Young WL, Myers KJ. Pharmacokinetics of sufentanil in obese patients, 790  
see Lien CA  
Schwartz N. Monitoring bilateral breath sounds (letter), 824  
Scott CR, see Sharar SR  
Sebel PS, see Fletcher JE  
Segil L, see Hoffman WE  
Seifen AB, Kennedy RH, Seifen E. Effects of volatile anesthetics on response to norepinephrine and acetylcholine in guinea pig atria, 304  
Seifen E, see Seifen AB  
Sessler DI. Sweating threshold during isoflurane anesthesia in humans, 300  
see Hynson JM  
Shaffer M, see Gilbert TB  
Shah PM, see Schell RM  
Shantha TR. Causalgia induced by telephone-mediated lightning electrical injury and treated by interpleural block (letter), 507  
Mani M. A simple method to retrieve irretrievable epidural catheters (letter), 508  
Sharar SR, Haberkern CM, Jack R, Scott CR. Anesthetic management of a child with methylmalonyl-coenzyme A mutase deficiency, 499  
Shevde K, Panagopoulos G. A survey of 800 patients' knowledge, attitudes, and concerns regarding anesthesia, 190  
Shively R, see Smith I  
Shutack JG, see Rosenberg H  
Sibai B, see Ramanathan J  
Silbert BS, Lipkowski AW, Cepeda MS, Szyfelbein SK, Osgood PF, Carr DB. Enhanced potency of receptor-selective opioids after acute burn injury, 427  
Silverman DG  
see Brull SJ  
see Graf G  
see Jacobs BR  
see Rosenblatt WH  
Sinatra R  
see Graf G  
see Rosenblatt WH  
Slaughter TF, see Steele SM  
Sloan TB, Kaye CI. Rumination risk of aspiration of gastric contents in the Prader-Willi syndrome, 492  
Slucky AV, see Bevacqua BK  
Smith CA, see Fletcher JE  
Smith DW, see Hyman SA  
Smith I. More about the esophageal detector (letter, reply), 672  
Van Hemelrijk J, White PF, Shively R. Effects of local anesthesia on recovery after outpatient arthroscopy, 536  
Van Hemelrijk J, White PF. Efficacy of esmolol versus alfentanil as a supplement to propofol-nitrous oxide anesthesia, 540  
Smith LR, see Spahn DR  
So SKS, see Beebe DS  
Soifer BE, see Martin RL  
Sollevi A, see Stänge K  
Sommer RM, see Lee O  
Sosis M, Dillon F. Reflection of CO<sub>2</sub> laser radiation from laser-resistant endotracheal tubes, 338  
Sosis MB, Braverman B, Ivankovich AD. A method for withholding sedatives from patients before obtaining surgical consent (letter), 361  
Souron RJ, see Lepage J-YM  
Spahn DR, Smith LR, Hu W-c, McRae RL, Leone BJ. Effects of cardiopulmonary bypass and cardioplegia on regional and global cardiac actions of halothane in dogs, 513  
Spencer EM, Willatts SM, Prys-Roberts C. Plasma inorganic fluoride concentrations during and after prolonged (>24 h) isoflurane sedation: effect on renal function, 731  
Spiess BD. Perioperative Autologous Transfusion by Linda Stehling, ed. (book review), 511  
Rothenberg DM, Buckley S. Complete airway obstruction of armored endotracheal tubes (letter), 95  
Sprague DH, see Podeschi DM

- Sprung J, Cheng EY. Near mishap in drug administration due to similarity between drug packaging (letter), 508
- Stånge K, Lagerkranser M, Sollevi A. Nitroprusside-induced hypotension and cerebrovascular autoregulation in the anesthetized pig, 745
- Stanton-Hicks M. Anesthesiology and Pain Management by T. H. Stanley, M. A. Ashburn, and P. G. Fine, eds. (book review), 677
- Starck TW, see Reynolds PC
- Steele SM, Slaughter TF, Greenberg CS, Reves JG. Epidural anesthesia and analgesia: implications for perioperative coagulability (editorial), 683
- Stehling L. Advances in Anesthesia. Volume 8 by R. K. Stoelting, P. G. Barash, and T. J. Gallagher, eds. (book review), 240
- Steinbereithner K, see Mayer N
- Stevens WC, see Martin RL
- Stillwell R, see Kirchhoff G
- St-Louis P, see Hartley EJ
- Stoelting RK, see Satz AK
- Stone B, see Audenaert SM
- Stover EP, see Maze M
- Stride PC. A potential hazard associated with misunderstanding of pulse oximetric readings (letter), 97
- Prevention of tachycardia and hypertension associated with tracheal intubation (letter), 502
- Strömskag KE, Minor BG, Lindeberg A. Comparison of 40 milliliters of 0.25% intrapleural bupivacaine with epinephrine with 20 milliliters of 0.5% intrapleural bupivacaine with epinephrine after cholecystectomy, 397
- Strum DP, Eger EI II, Unadkat JD, Johnson BH, Carpenter RL. Age affects the pharmacokinetics of inhaled anesthetics in humans, 310
- Sum Ping ST, Mehta MP, Symreng T. Reliability of capnography in identifying esophageal intubation with carbonated beverage or antacid in the stomach, 333
- Sundberg A. Hyperacusis after spinal anesthesia (letter, reply), 506
- Suresh D. Do you think you could make yourself vomit? (letter), 360
- Sutton TS, Koblin DD, Gruenke LD, Weiskopf RB, Rampil JJ, Waskell L, Eger EI II. Fluoride metabolites after prolonged exposure of volunteers and patients to desflurane, 180
- Sweeney MF, see Beebe DS
- Swift CA, see Jacobs BR
- Symreng T, see Sum Ping ST
- Szyfelbein SK, see Silbert BS
- Taheri S  
see Laster MJ  
see Liu J
- Takeshita H, see Oshita S
- Taneyama C, see Nakazawa K
- Taylor CL, see Prough DS
- Teague PD, see Williams L
- Tecson ME, see Baum VC
- Tejwani GA, see Rattan AK
- Thijs LG, see Groeneveld ABJ
- Thomas C, see Hoffman WE
- Timour Q, see Bertrix L
- Tinker JH, see Lillehaug SL
- Trigg L, see Blake DW
- Tuman KJ, McCarthy RJ, March RJ, DeLaria GA, Patel RV, Ivankovich AD. Effects of epidural anesthesia and analgesia on coagulation and outcome after major vascular surgery, 696
- Tuohy SE, see Beebe DS
- Turner LA, see Polic S
- Ueda M, see Kemmotsu O
- Unadkat JD, see Strum DP
- Unruh GK, see Nakazawa K
- Van Aken H, see Brüssel T
- van der Spek AFL. Triggering agents continued after masseter spasm: there is proof in this pudding (letter), 364
- Van Hemelrijck J, see Smith I
- van Neer PAFA, see Punt CD
- Veillette Y, see Benhamou D
- Verborgh C, Claeys M-A, Camu F. Onset of epidural blockade after plain or alkalized 0.5% bupivacaine, 401
- Verghese ST, see Patel RI
- Vermeij CG, see Groeneveld ABJ
- Veroli P, see O'Kelly B
- Veselis RA, see Reinsel RA
- Viale JP, Annat GJ, Ravat FAM, Pommier CM, Brudon JR, Desuzinges CJ, Bertrand OM, Motin JP. Oxygen uptake and mixed venous oxygen saturation during aortic surgery and the first three postoperative hours, 530
- Vinik HR, see Waring PH
- Virtanen R, see Maze M
- Viswanathan S, see Campbell C
- Vouros P, see Hogue CW Jr
- Wald A, see Navedo AT
- Waldman SD. Introduction to Dental Local Anesthesia by Hans Evers and Glenn Haegerstam, eds. (book review), 372
- Wallin BG, see Kinnö K
- Waring PH, Vinik HR. A potential complication of the Patil-Syracuse endoscopy mask (letter), 668
- Warner LO, see Cartabuke RS
- Waskell L, see Sutton TS
- Watanabe S, Yamaguchi H, Ishizawa Y. Level of spinal anesthesia can be predicted by the cerebrospinal fluid pressure difference between full-flexed and non-full-flexed lateral position, 391
- Way D, see Blake DW
- Weinger MB, Partridge BL, Hauger R, Mirow A, Brown M. Prevention of the cardiovascular and neuroendocrine response to electroconvulsive therapy: II. Effects of pretreatment regimens on catecholamines, ACTH, vasopressin, and cortisol, 563
- Partridge BL, Hauger R, Mirow A. Prevention of the cardiovascular and neuroendocrine response to electroconvulsive therapy: I. Effectiveness of pretreatment regimens on hemodynamics, 556
- Weiskopf RB, Cahalan MK, Eger EI II, Yasuda N, Rampil JJ, Ionescu P, Lockhart SH, Johnson BH, Freire B, Kelley S. Cardiovascular actions of desflurane in normocarbic volunteers, 143
- Cahalan MK, Ionescu P, Eger EI II, Yasuda N, Lockhart SH, Rampil JJ, Laster M, Freire B, Peterson N. Cardiovascular actions of desflurane with and without nitrous oxide during spontaneous ventilation in humans, 165
- see Cahalan MK  
see Sutton TS  
see Yasuda N
- Weiss BM, Schmid ER, Gattiker RI. Comparison of nalbuphine and fentanyl anesthesia for coronary artery bypass surgery: hemodynamics, hormonal response, and postoperative respiratory depression, 521
- Weiss SJ, Cheung AT, Savino JS. Intraoperative Use of Echocardiography by Norbert P. de Bruijn and Fiona M. Clements, eds. (book review), 835
- Weller RS, see Rosenblum M
- Werner C, see Hoffman WE
- White DA, see Kien ND
- White PF  
see Bodner M  
see Smith I
- Whitley JM, see Prough DS
- Wildsmith JAW. Catheter spinal anesthesia and cauda equina syndrome: an alternative view (letter), 368
- Willatts SM, see Spencer EM

- Williams L, Teague PD, Nagia AH.  
Foreign body from a Patil-Syracuse  
mask (letter), 359
- Winter DC, see Kemmotsu O
- Woelfel SK, Dong M-L, Brandom BW,  
Sarner JB, Cook DR. Vecuronium  
infusion requirements in children  
during halothane-narcotic-nitrous  
oxide, isoflurane-narcotic-nitrous  
oxide, and narcotic-nitrous oxide  
anesthesia, 33
- Wong MH, see Matsumura JS
- Woods AM, Queen JS, Lawson D.  
Valsalva maneuver in obstetrics: the  
influence of peripheral circulatory  
changes on function of the pulse  
oximeter, 765
- Wooten DJ, see King H-K
- Wulf H, Maier C, Schele HA. Bupivacaine  
toxicity after stellate ganglion block  
(letter, reply), 505
- Yamaguchi H, see Watanabe S
- Yamamura T, see Kemmotsu O
- Yassin K, Gibbons JJ. A hidden leak in the  
circle system (letter), 236
- Yasuda N, Weiskopf RB, Cahalan MK,  
Ionescu P, Caldwell JE, Eger EI II,  
Rampil IJ, Lockhart SH. Does  
desflurane modify circulatory  
responses to stimulation in  
humans?, 175  
see Cahalan MK  
see Weiskopf RB
- Yelich SJ, see Drasner K
- Yokono S, see Komatsu H
- Yoshitake J, see Sato M
- Young WL, Prohovnik I, Correll JW,  
Ostapkovich N, Ornstein E, Quest  
DO. A comparison of cerebral blood  
flow reactivity to CO<sub>2</sub> during  
halothane versus isoflurane  
anesthesia for carotid  
endarterectomy, 416  
see Schwartz AE
- Zacny J, see Lichtor JL
- Zäll S, Milocco I, Ricksten S-E. Effects of  
adenosine on myocardial blood flow  
and metabolism after coronary  
artery bypass surgery, 689
- Zaloga GP, see Prielipp RC
- Zhang PY, see Asher EF
- Zimpfer M, see Mayer N

# Subject Index

- Abdominal aorta aneurysm**, see Surgery, aneurysm
- Acid-base equilibrium**
- acidosis
    - lactic, during hypoperfusion with incremental positive end-expiratory pressure, 576
    - metabolic, during hypoperfusion with incremental positive end-expiratory pressure, 576
    - respiratory, during hypoperfusion with incremental positive end-expiratory pressure, 576
  - bicarbonate
    - alkalinization of 0.5% bupivacaine, epidural blockade effects, 401
  - maternal and neonatal
    - insulin-dependent diabetes mellitus and, regional anesthesia effects on, 105
- Acidemia**, see Complications
- Acidosis**, see Acid-base equilibrium
- ACTH**, see Hormones, adrenocorticotrophic
- Adapters**, see Equipment
- Adductor pollicis muscle**, see Muscle, skeletal
- Adenosine**
- see Anesthetic techniques, hypotensive
  - see Sympathetic nervous system, pharmacology
- Adrenergic agonists**, see Receptors, adrenergic
- Adrenocorticotrophic hormone**, see Hormones, adrenocorticotrophic
- Aerosol cannister**, see Equipment
- Age factors**
- bupivacaine influence on sensory and motor blockade, 780
  - elderly
    - vecuronium in, 39
  - pharmacokinetics of inhaled anesthetics, 310
- Air embolism**, see Embolism
- Air injection**, see Anesthetic techniques, epidural
- Airway**
- maintenance
    - chin-support device, alternative (letter), 235
  - obstruction
    - armored endotracheal tubes and (letter), 95
- Airway equipment**, see Equipment
- Alcohol**
- midazolam interaction with (letter), 829
- Alfentanil**, see Analgesics
- Amide**, see Anesthetics, intravenous, etomidate
- Amino acids**, see Protein
- Amiodarone**, see Heart, arrhythmias
- Analgesics**
- alfentanil
    - as supplement to propofol-N<sub>2</sub>O anesthesia, esmolol comparison with, 540
  - biphalin
    - potency, after acute burn injury, 427
  - diclofenac
    - after laparoscopic tubal ligation, 112
  - fentanyl
    - bupivacaine and (letters), 365, 366
    - for coronary artery bypass, nalbuphine compared to, 521
    - epidural, continuous or patient-controlled, epidural bupivacaine and, 132
    - laparoscopic surgery, compared to ibuprofen, 255
  - ibuprofen
    - laparoscopic surgery, compared to fentanyl, 255
  - ketorolac
    - bleeding diathesis and (letter), 235
  - morphine
    - antinociception, intrathecal midazolam effects on, 124
    - epidural, effects of prior anesthetic solution on, 119
    - hypnotic effects, tolerance to, 619
    - potency, after acute burn injury, 427
  - nalbuphine
    - for coronary artery bypass, fentanyl compared to, 521
  - narcotics
    - spinal, 226
  - opioids
    - midazolam interaction with, 124
  - oxycodone
    - after laparoscopic tubal ligation, 112
  - sufentanil
    - epidural, postoperative analgesia, dose-response, gynecologic surgery and, 405
    - pharmacokinetics, in obese patient, 790
  - U50488H
    - potency, after acute burn injury, 427
- Anesthesia**
- cardiovascular
    - desflurane effects, in normocarbic volunteers, 143
    - desflurane effects, nitrous oxide and, 157, 165
    - nitrous oxide effects, desflurane and, 157, 165
  - pulmonary edema, amiodarone and, 821
  - electroconvulsive therapy
    - cardiovascular and neuroendocrine response prevention, 556, 563
  - evaluation
    - preoperative, 190
  - neurosurgical
    - pediatric, scalp infiltration with bupivacaine, 29
  - obstetric
    - bupivacaine, hyperbaric and isobaric, continuous spinal anesthesia with (letter), 674, 675
    - cesarean section, morphine, epidural, analgesia and side effects, 119
    - cesarean section, morphine, epidural, prior anesthetic solution effects on, 119
    - cesarean section, perioperative maternal and neonatal acid-base status and glucose metabolism in insulin-dependent diabetes mellitus, 105
    - cesarean section, preeclampsia, modification of hemodynamic and neuroendocrine stress responses, 772
    - induction of vomiting (letter), 360
    - oral intake during parturition (letter), 673
    - patient-controlled analgesia, epidural, demand dosing, 547
    - patient-controlled analgesia, metoclopramide as adjunct to, 553
    - Valsalva maneuver, pulse oximeter performance and, 765
  - ophthalmologic
    - anisocoria, butylscopolamine and (letter), 97
    - oculocardiac reflex, atracurium, pancuronium effects on, in children, 25
    - pilocarpine, pupil constriction and (letter), 824
    - scopolamine mydriasis (letter), 824
  - outpatient
    - bupivacaine, arthroscopy postoperative pain effects, 536
    - gastric fluid acidity, ranitidine effects, 787
    - laparoscopy, nausea and vomiting after, treatment, 250
    - preoperative anxiety control, temazepam, clonidine, timolol comparisons, 633
  - pediatric
    - cardiac arrhythmias, age, hypercarbia,

- anesthetic depth, and airway management, 720
- cardiac dysrhythmias, oximetry and capnography and (editorial), 686
- kidney transplantation, with adult kidney, anesthetic management of, 725
- masseter muscle spasm (letter), 361
- methylmalonyl-coenzyme A mutase deficiency, 499
- neurosurgical, scalp infiltration with bupivacaine, 29
- ophthalmologic, oculocardiac reflex, atracurium, pancuronium effects on, 25
- premedication, glycopyrrolate, atropine, halothane cardiovascular depression effects and, 271
- supraventricular tachycardia termination with adenosine, 864
- tracheal intubation, retrograde-assisted fiberoptic, 660
- upper respiratory infection, misclassification (letter), 828
- vecuronium requirements during halothane-narcotic-nitrous oxide, isoflurane-narcotic-nitrous oxide, narcotic-nitrous oxide anesthesia, 33
- thoracic
  - mediastinal tumor removal, reexpansion pulmonary edema after, 646
- Anesthesia & Analgesia*, see Publications
- Anesthesia machines**, see Equipment, machines
- Anesthetic techniques**
  - endobronchial
    - left-double-lumen tube, depth of placement, 856
    - pulmonary shunt, hypoxic pulmonary vasoconstriction during one-lung ventilation in patent ductus arteriosus and (letter), 358
  - endotracheal
    - aerosol cannister for (letter), 675
  - epidural
    - air injection associated with multiradicular syndrome, 92
    - bupivacaine, onset of blockade after plain or alkalized 0.5%, 401
    - bupivacaine, sensory and motor blockade, age influences on, 780
    - cerebrospinal fluid pressure and (letter), 668
    - cesarean section, perioperative maternal and neonatal acid-base status and glucose metabolism in insulin-dependent diabetes mellitus, 105
    - cesarean section, preeclampsia, hemodynamic and neuroendocrine stress responses effects, 772
    - complications, anterior spinal artery syndrome in pregnant diabetic scleredema patient, 90
    - morphine, prior anesthetic solution effects on, 119
    - patient-controlled analgesia, fentanyl, epidural bupivacaine compared to, 132
    - patient-controlled analgesia, obstetric, demand dosing, 547
    - perioperative coagulability and (editorial), 683
    - pressure sores as complication of, 657
    - sufentanil, postoperative analgesia, dose-response in gynecologic surgery, 405
    - vascular surgery, coagulation and outcome effects, 696
  - extubation
    - endotracheal, hemodynamic responses to, after coronary artery bypass grafting, 10
    - pediatric, airway complications, 266
  - hypotensive
    - adenosine, coronary steal and (editorial), 681
    - adenosine, myocardial blood flow and metabolism effects, after coronary artery bypass surgery, 689
    - nicardipine, 341
    - nitroprusside, 341
    - nitroprusside, cerebrovascular autoregulation and, 745
    - nitroprusside, trimethaphan and, for induction, 59
    - trimethaphan, for induction, 59
  - inhalation
    - cesarean section, preeclampsia, hemodynamic and neuroendocrine stress responses effects, 772
  - intravenous
    - cesarean section, preeclampsia, hemodynamic and neuroendocrine stress responses effects, 772
    - tubing obstruction (letter), 98
  - regional
    - brachial plexus block, supraclavicular (letter), 239
    - digital nerve block, pulse oximeter signal detection with, 815
    - infiltration, scalp, bupivacaine, pediatric, 29
    - interpleural, bupivacaine, comparison of 40 milliliters 0.25% with epinephrine and 20 milliliters 0.5% with epinephrine, 397
    - interpleural, causalgia induced by telephone-mediated lightning electrical injury treatment with (letter), 507
    - stellate ganglion block, bupivacaine toxicity after (letter), 505
    - supraorbital nerve block, headache caused by, 490
  - sympathetic nerve activity in, galvanic skin response and, 138
  - spinal
    - catheters, continuous, aseptic closed system for injections through (letter), 824
    - catheters, continuous, strength, 394
    - cuada equina syndrome and (letter), 367
    - epinephrine wash (letter), 673
    - heart rate responses to body tilt during, 385
    - hyperacusis after (letter), 506
    - intrathecal, subcutaneously implanted pumps for, 226
    - levels, cerebrospinal fluid pressure difference between full-flexed and non-full-flexed lateral position and, 391
    - obstetric, continuous, bupivacaine, hyperbaric and isobaric (letter), 674, 675
- Anesthetics, gases**
  - nitrous oxide
    - desflurane, isoflurane psychomotor performance effects and, 260
    - desflurane cardiovascular actions and, 143, 175
    - desflurane circulatory responses to stimulation effects and, 175
    - endotracheal tube cuff pressure and (letter), 99
    - endotracheal tube cuff pressure and, increases, prevention of (letter), 232
    - hemodynamic effects, desflurane and, 157
    - pediatric, methylmalonyl-coenzyme A mutase deficiency, 499
- Anesthetics, intravenous**
  - etomidate
    - cardiovascular responses to stimulation of central nervous system pressor sites effects, 64
    - dexmedetomidine, adrenal steroidogenesis effects, 204
    - Endrate or Amidate (letter), 237
  - fentanyl
    - asystole after, 818
    - supplement to general anesthesia, ocfentanil compared to, 622
  - ketamine
    - transsarcolemmal calcium entry in myocardium effects, 804
  - methohexital
    - left ventricular performance and, 3
  - ocfentanil
    - supplement to general anesthesia, fentanyl compared to, 622
  - propofol
    - asystole after, 818
    - esmolol, alfentanil supplementation of, 540
    - left ventricular performance and, 3



- malignant hyperthermia and (letter), 359
- thiopental
- desflurane, isoflurane psychomotor performance effects and, 260
  - isoniazid-induced seizure effects (letter), 95
- Anesthetics, local**
- bupivacaine
- arthroscopy, postoperative pain effects, 536
  - epidural, continuous, postoperative analgesia, epidural fentanyl compared to, 132
  - epidural, onset after plain or alkalinized 0.5%, 401
  - fentanyl analgesia effects (letters), 365, 366
  - hyperbaric and isobaric, obstetric, continuous spinal anesthesia with (letter), 674, 675
  - interpleural, comparison of 40 milliliters of 0.25% with epinephrine with 20 milliliters of 0.5% with epinephrine after cholecystectomy, 397
  - motor blockade, isometric force, EMG, age influences on, 780
  - scalp infiltration in pediatric brain surgery, 29
  - toxicity, after stellate ganglion block (letter), 505
  - toxicity, systemic, treatment, 373
  - ventricular contractile force and intraventricular conduction, interaction with halothane, in pediatric patients, 434
- 2-chloroprocaine
- epidural, back pain after, 232
  - morphine analgesia and side effects and, 119
- lidocaine
- alkalinization, intradermal anesthesia pain and, 469
  - hemodynamic responses to endotracheal extubation after coronary artery bypass grafting effects, 10
- ropivacaine
- systemic toxicity treatment, 373
- Anesthetics, volatile**
- desflurane
- cardiovascular actions, 143
  - cardiovascular actions, nitrous oxide and, 165
  - circulatory responses to stimulation effects, nitrous oxide and, 175
  - hemodynamic effects, nitrous oxide and, 157
  - metabolism, fluoride metabolite effects, 180
  - pharmacokinetics, 209
  - psychomotor performance effects, compared to isoflurane, 260
  - toxicity, in guinea pig liver slices (letter), 830
  - visceral losses of, 209
- enflurane
- atrial response to norepinephrine and acetylcholine effects, 304
  - avoidance training and, 295
  - cardiac contractility, preload, and heart rate augmentation, cardiac output effects and, 590
  - pharmacokinetics, age effects on, 310
  - Purkinje fiber action potential effects, 603
- halothane
- administration with high-frequency oscillation, 465
  - arteriole vasodilation effects, serotonin and, 583
  - atrial response to norepinephrine and acetylcholine effects, 304
  - avoidance training and, 295
  - breathing pattern and occlusion pressure waveform effects, 327
  - cardiovascular depression, glycopyrrolate, atropine effects on, 271
  - cardiovascular effects, chronic heart failure and enalaprilat treatment and, 441
  - carotid endarterectomy, cerebral blood flow reactivity to carbon dioxide, versus isoflurane
  - cerebral blood flow, metabolism, cerebrovascular autoregulation effects, 758
  - contractile performance effects, phosphodiesterase inhibitors and, 76
  - epinephrine threshold for development of slow responses in trabeculae effects, 449
  - left ventricular function effects, cardiopulmonary bypass and cardioplegia and, 513
  - pediatric, cardiac arrhythmias and, 720
  - pediatric, ventricular contractile force and intraventricular conduction, interaction with bupivacaine, 434
  - pharmacokinetics, 209
  - pharmacokinetics, age effects on, 310
  - protective properties in ischemic heart, 711
  - Purkinje fiber action potential effects, 603
  - responses to hypoxia effects, 319
  - visceral losses of, 209
- isoflurane
- atrial response to norepinephrine and acetylcholine effects, 304
  - avoidance training and, 295
  - biotransformation, sevoflurane compared to (letter), 670
  - cardiovascular effects, chronic heart failure and enalaprilat treatment and, 441
  - carotid endarterectomy, cerebral blood flow reactivity to carbon dioxide, versus isoflurane
  - cerebral blood flow, metabolism, cerebrovascular autoregulation effects, 758
  - contractile performance effects, phosphodiesterase inhibitors and, 76
  - epinephrine threshold for development of slow responses in trabeculae effects, 449
  - left ventricular function effects, cardiopulmonary bypass and cardioplegia and, 513
  - pediatric, cardiac arrhythmias and, 720
  - pediatric, ventricular contractile force and intraventricular conduction, interaction with bupivacaine, 434
  - pharmacokinetics, 209
  - pharmacokinetics, age effects on, 310
  - protective properties in ischemic heart, 711
  - Purkinje fiber action potential effects, 603
  - responses to hypoxia effects, 319
  - visceral losses of, 209
- failure and enalaprilat treatment and, 441
- cardiovascular responses to stimulation of central nervous system pressor sites effects, 64
- carotid endarterectomy, cerebral blood flow reactivity to carbon dioxide, versus halothane, 416
- cerebral autoregulation effects, 753
- contractile performance effects, phosphodiesterase inhibitors and, 76
- degradation, anesthesia circuit temperature and (letter), 670
- ischemic myocardium effects, 16
- MAC, L-644,711 effects on, 199
- motor evoked responses to transcranial electrical stimulation effects, during nitrous oxide/opioid anesthesia, 410
- pharmacokinetics, 209
- pharmacokinetics, age effects on, 310
- plasma inorganic fluoride levels effects, renal function and, 731
- psychomotor performance effects, compared to desflurane, 260
- Purkinje fiber action potential effects, 603
- sweating threshold effects on, 300
- toxicity, in guinea pig liver slices (letter), 830
- visceral losses of, 209
- methoxyflurane
- pharmacokinetics, age effects on, 310
- sevoflurane
- biotransformation, isoflurane compared to (letter), 670
  - breathing pattern and occlusion pressure waveform effects, 327
  - degradation, anesthesia circuit temperature and (letter), 670
- Aneurysm**, see Surgery, aneurysm
- Angiotensin converting enzymes**, see Enzymes
- Anisocoria**, see Eye
- Antacids**, see Gastrointestinal tract
- Antagonists, narcotic**
- naloxone
  - displacement by morphine, 124
- Anterior spinal artery syndrome**, see Spinal cord
- Antidiuretic hormone**, see Hormones
- Antiemetics**, see Vomiting
- Aortic aneurysm**, see Surgery, aneurysm
- Arrhythmia**, see Heart
- Arterioles**, see Microcirculation
- Arthroscopy**, see Pain, postoperative
- Aspiration**, see Gastrointestinal tract, stomach
- Aspiration pneumonia**, see Complications
- Asystole**, see Heart
- Atracurium**, see Neuromuscular relaxants
- Atropine**, see Premedication

- Attention**, see Recovery
- Autoregulation**, see Brain
- Avoidance training**, see Brain
- Back pain**, see Pain
- Baroreceptors**, see Receptors, pressoreceptors
- Benzodiazepines**, see Hypnotics
- Biotransformation, drug**  
isoflurane, 731  
sevoflurane compared to (letter), 670  
sevoflurane  
isoflurane compared to (letter), 670
- Biphalin**, see Analgesics
- Blood**  
coagulation  
epidural anesthesia and analgesia and, 696  
epidural anesthesia and analgesia and (editorial), 683  
glucose  
clonidine effects on, 460  
volume  
hypoxia effects on, halothane modification of, 319
- Blood gas monitors**, see Monitoring
- Blood pressure**  
baroreceptor reflexes  
stimulation, isoflurane, midazolam, etomidate effects on, 64  
hypertension  
nalbuphine and fentanyl for coronary artery bypass comparisons in, 521  
tracheal intubation-associated, prevention of (letter), 502  
hypotension  
after abdominal aorta aneurysm repair in renal insufficiency patient, 638  
caused by rapid hypertonic saline infusion, 597  
measurement  
intraarterial, oscillometric, Finapres, 213  
invasive, erroneous measurement with (letter), 96  
monitoring  
tonometry, noninvasive, in controlled hypotension, 54
- Book reviews**  
Anesthesia and Musculoskeletal Disorders. Problems in Anesthesia, Volume 5, No.1 (Lui ACP, Crosby ET) [Mackenzie CF], 371  
Anesthesia for Ambulatory Surgery (Wetchler BV) [Bogetz MS], 101  
Anesthesia for Plastic and Reconstructive Surgery (Abadir AR, Humayun SG) [O'Connor CJ Jr], 371  
Anesthesiology and Pain Management (Stanley TH, Ashburn MA, Fine PG) [Stanton-Hicks M], 677  
Anesthetic and Obstetrical Management of High Risk Pregnancy (Datta S) [Joyce TH III], 103
- Chronic Pain. Problems in Anesthesia Series, Volume 4, No. 4, December 1990 (Hare BD, Fine PG) [Racz GR], 100
- Clinical Anesthesia in Neurosurgery (Frost EAM) [Messick JM Jr], 102
- Fiberoptics in Anesthesia. Anesthesiology Clinics of North America, Volume 9, No. 1 (Roberts JT) [Randel GI], 833
- Gas Man, Understanding, Uptake and Distribution in Anesthesia and Analgesia (Philip JH) [Lawson DJ], 241
- Improving Anesthesia Outcome (Eichhorn JH) [Gevirtz CM], 835
- Interdisciplinary Pain Management. International Anesthesiology Clinics, Volume 29, No. 1 (Lebowitz PW) [Kestenbaum A, Savarese JJ], 677
- Intraoperative Use of Echocardiography (de Bruijn NP, Clements FM) [Weiss SJ, Cheung AT, Savino JS], 835
- Introduction to Dental Local Anesthesia (Evers H, Haegerstam G) [Waldman SD], 372
- Manual of Anesthesia and the Medically Compromised Patient (Cheng EY, Kay J) [Guarnieri DM], 512
- Manual of Complications During Anesthesia (Gravenstein N) [Krechel SW], 240
- Mechanical Ventilation and Assisted Respiration: Past, Present, and Future (Grenvik A, Downs J, Räsänen J, Smith R) [Pearl RG], 833
- Opioids in Anesthesia II (Estafanow FG) [Murphy M], 101
- Pediatric Anesthesia Handbook, The (Bell C, Hughes CW, Oh TH) [Birmingham PK], 834
- Perioperative Autologous Transfusion (Stehling L) [Spiess BD], 511
- Preanesthetic Assessment. Anesthesia Clinics of North America, Volume 8, No. 4 (Frost EAM) [Antebi ME], 511
- Principles of Transfusion Medicine (Rossi EC, Simon TL, Moss GS) [Ellison NJ], 241
- Problems in Respiratory Care: Clinical Applications of Hyperbaric Oxygen (Moon RE, Camporesi EM) [Eckenhoff RG], 678
- Recalled to Life. The Story of a Coma (Goshen-Gotten E) [Lunn JN], 240
- Studies of Narcosis (Overton CE) [Greene NM], 102
- Books received**, 104, 242, 372, 512, 679, 835
- Brachial plexus block**, see Anesthetic techniques, regional
- Bradycardia**, see Heart, arrhythmia
- Brain**  
autoregulation  
halothane effects, 758  
isoflurane effects, 753  
nitroprusside effects, 745  
avoidance training  
volatile anesthetics effects on, 295  
blood flow  
cerebrovascular reactivity to carbon dioxide, during halothane versus isoflurane anesthesia, 436  
halothane effects on, 758  
nitroprusside effects on, 745  
oxygen uptake and (letter), 504  
convulsions  
isoniazid-induced, thiopental action in (letter), 95  
hypothalamus  
stimulation, cardiovascular responses to, isoflurane, midazolam, etomidate effects on, 64  
ischemia  
incomplete, clonidine effects on plasma catecholamines and, 460  
oxygen consumption  
halothane effects on, 758  
reticular formation  
stimulation, cardiovascular responses to, isoflurane, midazolam, etomidate effects on, 64
- Breath sounds**, see Monitoring
- Bronchial obstruction**, see Complications
- Bronchoscopes**, see Equipment
- Bronchospasm**  
see Complications  
see Lung
- Bupivacaine**  
see Anesthetic techniques, epidural  
see Anesthetics, local
- Burns**, see Complications
- Butylscopolamine**, see Premedication
- Capnography**, see Carbon dioxide, monitoring
- Carbon dioxide**  
end-tidal, cardiac output and, 808  
hypercarbia  
pediatric cardiac arrhythmias and, 720  
monitoring  
capnography, cardiac arrhythmias in pediatric patients and, 710  
capnography, cardiac dysrhythmias in pediatric patients and (editorial), 868  
capnography, false-positives (letter), 509, 510  
capnography, identification of esophageal intubation with carbonated beverages or antacid in stomach, 333
- Carbon dioxide laser surgery**, see Surgery, laser, CO<sub>2</sub>
- Cardiac**, see Heart
- Cardiac output**  
see Heart  
see Measurement techniques

- see Monitoring
- Cardiopulmonary bypass**, see Surgery, cardiovascular
- Cardiopulmonary resuscitation**, see Ventilation, artificial
- Cardiovascular anesthesia**, see Anesthesia
- Cardiovascular surgery**, see Surgery
- Carnitine deficiency**, see Complications
- Carotid endarterectomy**, see Surgery
- Catecholamines**, see Sympathetic nervous system
- Catheters**, see Equipment
- Cauda equina syndrome**, see Complications
- Causalgia**, see Pain
- Central venous catheter**, see Equipment, catheters
- Cerebral blood flow**, see Brain, blood flow
- Cerebral palsy**, see Complications
- Cerebrospinal fluid**, see Spinal cord
- Cervical spine injury**, see Complications
- 2-Chloroprocaine**, see Anesthetics, local
- Circuits**, see Equipment
- Circulation**, see Individual organs
- Clonidine**
  - see Premedication
  - see Sympathetic nervous system, pharmacology
- Coagulation**, see Blood
- Colloids**, see Fluid balance
- Complications**
  - acidemia
    - methylmalonic, 499
  - aspiration
    - acidic gastric contents, ranitidine and, 787
  - aspiration pneumonitis
    - oral intake during parturition and (letter), 673
  - bronchial obstruction
    - secondary to nasotracheal intubation, 487
  - bronchospasm
    - after F<sub>2a</sub> prostaglandin and endotracheal intubation, 87
  - burns
    - from CO<sub>2</sub> laser radiation reflection, 338
    - receptor-selective opioids potency after, 427
  - carnitine deficiency (letter), 672
  - cauda equina syndrome
    - spinal anesthesia and (letter), 367
  - cerebral palsy
    - electromyographic response to vecuronium, 275
  - cervical spine injury
    - possible, airway management for, 471
  - diabetes
    - insulin-dependent, perioperative maternal and neonatal acid-base status and glucose metabolism in, 105
  - eclampsia
    - cesarean section, anesthetic effects on hemodynamic and neuroendocrine stress responses, 772
  - electrical shock, 355
    - lightning, telephone-mediated, causalgia from (letter), 507
  - foreign body
    - from Patil-Syracuse mask (letter), 359
  - headache
    - from postoperative supraorbital neuralgia, 490
  - heart failure
    - cardiovascular effects of volatile anesthesia and, 441
  - hypercarbia
    - pediatric cardiac arrhythmias and, 720
  - hypertension
    - electroconvulsive therapy and, prevention of, 556, 563
  - hypocalcemia
    - after abdominal aneurysm repair in renal insufficiency patient, 638
  - hypotension
    - after abdominal aorta aneurysm repair in renal insufficiency patient, 638
  - laceration
    - lung, after tracheal extubation over plastic tube changer, 350
  - obesity
    - sufentanil pharmacokinetics in, 790
  - Prader-Willi syndrome
    - rumination risk of aspiration of gastric contents in, 492
  - pressure sores
    - epidural analgesia and, 657
  - punctate lesions
    - suction catheter and (letter), 238
  - renal failure
    - hypocalcemia after abdominal aortic aneurysm repair in, 638
  - scleredema
    - in pregnant diabetic patient, anterior spinal artery syndrome after epidural anesthesia in, 90
  - syringe interchange
    - accidental, packaging and (letter), 508
  - trauma
    - pharynx, suctioning and (letter), 238
- Congenital defects**, see Heart
- Consent**, see Medicolegal
- Contractility**, see Heart
- Convulsions**, see Brain
- Coronary artery bypass grafting**, see Surgery, cardiovascular
- Coronary steal**, see Heart
- Corticosterone**, see Hormones
- Cortisol**, see Hormones
- Creatine kinase**, see Enzymes
- Cuffs**, see Equipment
- Dantrolene**, see Pharmacology
- Dead space**
  - see Lung, alveolar dead space
  - see Ventilation
- Desflurane**
  - see Anesthetics, volatile
  - see Metabolism
  - see Toxicity, local anesthetic
- Dexmedetomidine**, see Sympathetic nervous system, pharmacology
- Diabetes**, see Complications
- Diclofenac**, see Analgesics
- Digital nerve block**, see Anesthetic techniques, regional
- Do-not-resuscitate (DNR) patient**, see Ventilation, artificial
- Dobutamine**, see Sympathetic nervous system, pharmacology
- Doppler ultrasound**, see Measurement techniques, ultrasound
- Double burst stimulation**, see Measurement techniques
- Drawover anesthesia system**, see Equipment
- Dysrhythmias**, see Heart
- Ear**, see Hearing
- Echocardiography**, see Measurement techniques
- Eclampsia**, see Complications
- Edema**, see Lung
- Eisenmenger's complex**, see Heart, congenital defects
- Elderly**, see Age factors
- Electrical shock**
  - see Complications
  - see Shock
- Electrical stimulation**, see Monitoring
- Electrical systems**
  - bipolar
    - shock, by dislodged spark gap, 355
  - conductivity
    - shock and, 355
  - fires
    - electrocautery system (letter), 358
    - misunderstanding of pulse oximetry readings and (letter), 97
- Electrocardiography**, see Monitoring
- Electroconvulsive therapy**, see Anesthesia
- Embolism**
  - air
    - during lumbar laminectomy in prone position, 346
- Enalaprilat**, see Enzymes, angiotensin-converting
- Endarterectomy**, see Surgery, carotid endarterectomy
- Endobronchial technique**, see Anesthetic techniques
- Endobronchial tubes**, see Equipment, tubes
- $\beta$ -Endorphins**, see Hormones
- Endoscopy**, see Surgery
- Endotracheal extubation**, see Anesthetic techniques, extubation
- Endotracheal technique**, see Anesthetic techniques
- Endotracheal tubes**, see Equipment, tubes

- Endrate**, see Anesthetics, intravenous, etomidate
- Enflurane**, see Anesthetics, volatile
- Enzymes**  
angiotensin-converting  
enalaprilat, cardiovascular effects of volatile anesthesia and, 441  
creatine kinase  
masseter muscle spasm and (letter), 364  
phosphodiesterase inhibitors  
contractile performance effects, halothane, isoflurane and, 76
- Epidural**, see Anesthetic techniques
- Epinephrine**, see Sympathetic nervous system, pharmacology
- Equipment**  
adapters  
single-use, reinsertion of catheter into (letter), 826  
aerosol cannister (letter), 675  
airway  
leaks (letter), 236  
bronchoscopes  
retrograde-assisted fiberoptic tracheal intubation in children and, 660  
catheters  
central venous, components, flow rate effects, 573  
epidural, irretrievable, retrieval of (letter), 508  
intravenous, gauge, intradermal anesthesia pain and, 469  
pulmonary arterial, components, flow rate effects, 573  
reinsertion into a single-use adapter (letter), 826  
spinal, continuous, aseptic closed system for injections through (letter), 824  
spinal, continuous, failure, 394  
spinal, continuous, strength of, 394  
circuits  
anesthetic, temperatures, isoflurane, sevoflurane breakdown and (letter), 670  
anesthetic, temperatures, soda lime (letter), 670  
breathing, leak (letter), 365  
cuffs  
endotracheal, pressure increase, nitrous oxide-induced, prevention of (letter), 232  
drawover anesthesia system (letter), 826  
esophageal detector (letter), 671, 672  
flowmeters  
electromagnetic, cardiac output measurement, 455  
laser  
CO<sub>2</sub>, reflection, from laser-resistant endotracheal tubes, 338  
machines, anesthesia  
leaks (letter), 236  
masks  
anesthesia, Patil-Syracuse, foreign body from (letter), 359  
endoscopy, Patil-Syracuse, potential complication of (letter), 668  
oxygen concentrator  
linked to a drawover vaporizer (letter), 826  
stethoscopes  
precordial, joined at stopcock (letter), 828  
precordial, stopcock position and (letter), 98  
syringes  
interchange, accidental, packaging and (letter), 508  
pumps, loading port for (letter), 670  
tubes  
endobronchial, double-lumen, left, depth of placement, 856  
endobronchial, double-lumen, manufacturing defect (letter), 825  
endotracheal, armored, airway obstruction and (letter), 95  
endotracheal, cuff pressure, nitrous oxide and (letter), 99  
endotracheal, laser-resistant, reflection of CO<sub>2</sub> laser radiation from, 338  
endotracheal, placement, assessment of (letter), 507  
endotracheal, placement, esophageal detector and (letter), 671, 672  
intravenous, obstruction of (letter), 98  
leaks (letter), 236  
oxygen economizer (letter), 826  
vaporizers  
drawover (letter), 826
- Esmolol**, see Sympathetic nervous system, pharmacology
- Esophageal detector**, see Equipment
- Ethics**  
do-not-resuscitate (DNR) patient and, 221
- Etomidate**, see Anesthetics, intravenous
- Evoked potentials**, see Monitoring
- Extubation**, see Anesthetic techniques
- Eye**  
anisocoria (letter), 97  
mydriasis  
scopolamine (letter), 824
- Fentanyl**  
see Analgesics  
see Anesthetics, intravenous
- Finapres**, see Blood pressure, measurement techniques
- Fire**  
see Electrical systems  
see Surgery, laser
- Flow**, see Physics
- Flowmeters**, see Equipment
- Fluid balance**  
colloid  
hydroxyethyl starch, for hemorrhagic shock, hemodynamics effects, 738
- Hyskon  
during hysteroscopy, 186
- saline  
hypertonic, in hemorrhagic shock, hemodynamics effects, 738  
hypertonic, rapid infusion, hypotension caused by, 597
- Flunitrazepam**, see Hypnotics, benzodiazepines
- Fluoride**, see Ions
- Foreign body**, see Complications
- Galvanic response**, see Skin
- Gastrointestinal tract**  
antacids  
esophageal intubation with, capnography identification of, 333  
stomach  
aspiration, rumination risk of, in Prader-Willi syndrome, 492  
metoclopramide, as adjunct to patient-controlled analgesia, 553  
pH, ranitidine effects on, 787  
volume, ranitidine effects on, 787
- Glucose**  
see Blood  
see Metabolism
- Glycopyrrolate**, see Premedication
- Greene, Nicholas M** (editorial), 1
- Gynecologic surgery**, see Surgery
- Halothane**, see Anesthetics, volatile
- Headache**, see Complications
- Hearing**  
ear  
hyperacusis (letter), 506
- Heart**  
arrhythmias  
amiodarone, intraoperative pulmonary edema and, 821  
bradycardia, body tilt during spinal anesthesia and, 385  
electroconvulsive therapy and, prevention of, 556, 563  
norepinephrine- and acetylcholine-induced, volatile anesthetics and, 304  
pediatric, 720  
pediatric, supraventricular tachycardia, termination with adenosine, 665  
slow responses, halothane/epinephrine interaction and, 449  
tachycardia, tracheal intubation-associated, prevention of (letter), 502  
ventricular, conduction, bupivacaine, halothane interaction and, 434
- asystole  
fentanyl, propofol, and succinylcholine and, 818  
blood flow



- myocardial, phenylephrine effects on, 283
- cardiac output
  - end-tidal  $P_{CO_2}$  effects on, 808
  - halothane effects on, cardiopulmonary bypass and cardioplegia and, 513
  - measurement, by transesophageal Doppler, during aortic reconstructive surgery, 705
  - measurement, by transtracheal Doppler, electromagnetic flow meter, and thermolulution, 455
- congenital defects
  - Eisenmenger's complex, pheochromocytoma in, 496
  - patent ductus arteriosus, one-lung ventilation, hypoxic pulmonary vasoconstriction and (letter), 358
- contractility
  - augmentation, cardiac output effects, enflurane anesthesia and, 590
- coronary steal
  - vasodilators and (editorial), 681
- dysrhythmias
  - pediatric, oximetry and capnography and (editorial), 686
- electrocardiography
  - slow responses, halothane/epinephrine interaction and, 449
- failure
  - cardiovascular effects of volatile anesthesia and, 441
- function
  - adenosine effects on, 689
- ischemia
  - adenosine effects on, 689
  - halothane protective properties in, 711
- myocardial function
  - halothane effects on, 76
  - halothane effects on, cardiopulmonary bypass and cardioplegia and, 513
  - isoflurane effects on, 16, 76
  - propofol, methohexital effects on, 3
- myocardium
  - calcium flux, sarcolemma, ketamine effects on, 804
- oxygen consumption
  - myocardial, phenylephrine effects on, 283
- Purkinje fibers
  - action potential, halothane, isoflurane, enflurane effects on, 603
- sinoatrial node
  - norepinephrine and acetylcholine effects on, volatile anesthetics and, 304
- vascular capacitance
  - response to hypoxia, halothane effects on, 319
- vascular pressures
  - augmentation, cardiac output effects, enflurane anesthesia and, 590
- ventricles
  - contractile force and conduction, bupivacaine, halothane interaction, in pediatric patients, 434
- Hemodynamics**
  - endotracheal extubation after coronary artery bypass grafting and, 10
- Hemorrhagic shock**, see Shock
- Hormones**
  - adrenocorticotrophic
    - dexmedetomidine effects on, 204
    - electroconvulsive therapy cardiovascular and neuroendocrine responses and, 563
  - antidiuretic
    - vasopressin, electroconvulsive therapy cardiovascular and neuroendocrine responses and, 563
    - vasopressin, nalbuphine, fentanyl effects, coronary artery bypass surgery and, 521
  - corticosterone
    - dexmedetomidine effects on, 204
    - receptor-selective opioids effects on, after burn injury, 427
  - cortisol
    - dexmedetomidine effects on, 204
    - electroconvulsive therapy cardiovascular and neuroendocrine responses and, 563
    - nalbuphine, fentanyl effects, coronary artery bypass surgery and, 521
  - $\beta$ -endorphin
    - receptor-selective opioids effects on, after burn injury, 427
  - prostaglandin
    - bronchospasm and, 87
- Hydroxyethyl starch**, see Fluid balance, colloid
- Hyperacusis**, see Hearing, ear
- Hypercarbia**
  - see Carbon dioxide
  - see Complications
- Hypertension**
  - see Blood pressure
  - see Complications
- Hyperthermia**
  - malignant
    - diagnostic signs (letter), 364
    - propofol and (letter), 358
    - tests for, sensitivity and specificity of (letter), 233
- Hypnosis**
  - vomiting induction and (letter), 360
- Hypnotics**
  - benzodiazepines
    - flunitrazepam, for coronary artery bypass, 521
    - midazolam, alcohol interaction with (letter), 829
    - midazolam, auditory event-related potential measures of selective attention effects, 612
    - midazolam, cardiovascular responses to stimulation of central nervous system pressor sites effects, 64
    - midazolam, intrathecal, morphine-induced antinociception effects, 124
  - sedatives
    - withholding of, consent and (letter), 361
- Hypocalcemia**
  - see Complications
  - see Ions, calcium
- Hypoperfusion**, see Shock
- Hypotension**
  - see Anesthetic techniques, hypotensive
  - see Blood pressure
- Hypothalamus**, see Brain
- Hypothermia**
  - pulse oximetry signal loss and, digital nerve block restoration of, 815
  - somatosensory evoked potentials effects, 653
- Hypoxia**
  - pediatric
    - tracheal extubation and, 266
  - responses to
    - halothane effects on, 319
- Hyskon**
  - see Fluid balance
  - see Surgery, gynecologic, hysteroscopic
- Hysteroscopy**, see Surgery, gynecologic
- Ibuprofen**, see Analgesics
- Imidazole**, see Receptors, adrenergic, agonists
- Infection**
  - continuous spinal catheter system and, prevention (letter), 824
  - upper respiratory
    - pediatric, misclassification (letter), 828
- Infiltration**, see Anesthetic techniques, regional
- Inhalation anesthesia**, see Anesthetic techniques
- Intensive care**
  - ethical issues in do-not-resuscitate (DNR) patient, 221
- Interactions, drug**
  - midazolam-opioids, 124
- International Anesthesia Research Society**, see Organizations
- Interpleural**, see Anesthetic techniques, regional
- Interpleural local anesthetics**, see Anesthetic techniques, regional, interpleural
- Intraleural local anesthetics**, see Anesthetic techniques, regional, interpleural
- Intrathecal**, see Anesthetic techniques, spinal
- Intravenous anesthesia**, see Anesthetic techniques
- Intubation**



- esophageal  
carbonated beverages or antacid in stomach and, capnography identification of, 333
- tracheal  
bronchial obstruction secondary to, 487  
capnography false-positives in (letter), 509  
in cervical spine injury, 471  
endotracheal tube placement assessment (letter), 507  
pediatric, retrograde-assisted fiberoptic, 660  
plastic tube changer, lung laceration over, 350  
vascular response prevention (letter), 502
- Ions**  
calcium  
hypocalcemia, after abdominal aorta aneurysm repair in renal insufficiency patient, 638  
transsarcolemmal entry, in myocardium, ketamine effects on, 804  
fluoride  
desflurane metabolism and, 180  
inorganic, plasma levels, isoflurane effects on, renal function and, 731
- Ischemia**  
see Brain  
see Heart  
see Position, effects, cardiovascular
- Isoflurane**  
see Anesthetics, volatile  
see Biotransformation, drug  
see Toxicity, local anesthetic
- Ketamine**, see Anesthetics, intravenous
- Ketorolac**  
see Analgesics  
see Pain, postoperative
- Kidney**  
blood flow  
halothane, isoflurane effects on, 441  
failure  
hypocalcemia after abdominal aortic aneurysm repair in, 638  
function  
plasma inorganic fluoride concentrations during and after prolonged isoflurane and, 731  
transplantation  
pediatric, with adult kidney, anesthetic management, 725
- L-644,711**, see Theories of anesthetic action, anion transport inhibitor
- Labetalol**, see Sympathetic nervous system, pharmacology
- Laceration**, see Complications
- Lactate**, see Metabolism
- Laminectomy**, see Surgery
- Laparoscopy**, see Surgery
- Laryngotracheal reconstruction**, see Surgery, pediatric
- Larynx**  
succinylcholine effects on, 278
- Laser**  
see Equipment  
see Surgery
- Lidocaine**, see Anesthetics, local
- Liver**  
transplantation  
vecuronium, pancuronium, atracurium dose requirements during, 794
- Lung**  
alveolar dead space  
increase, PETCO<sub>2</sub> reduction from, 808  
bronchospasm  
after F<sub>20</sub> prostaglandin and endotracheal intubation, 87  
carbon dioxide elimination  
cardiac output and, 808  
edema  
intraoperative, amiodarone and, 821  
reexpansion, after mediastinal tumor removal, 646  
function  
halothane, sevoflurane effects on, 327  
laceration  
after tracheal extubation over plastic tube changer, 350  
occlusion pressure  
halothane, sevoflurane effects on, 327  
shunting  
hypoxic pulmonary vasoconstriction during one-lung ventilation in patent ductus arteriosus (letter), 358
- Machines**, see Equipment
- Masks**, see Equipment
- Masseter muscle**, see Muscle, skeletal
- Measurement techniques**  
blood pressure  
arterial, invasive, erroneous (letter), 96  
intraarterial, oscillometric, Finapres, 213  
tonometry, in controlled hypotension, 54  
cardiac output  
Doppler ultrasound, during aortic reconstructive surgery, 705  
radioactive tracers, propofol, methohexital effects and, 3  
double burst stimulation  
visual assessment of, 627  
echocardiography  
transesophageal-biplane, remote asynergy detected by, during myocardial revascularization, 642  
oximetry  
cardiac dysrhythmias in pediatric patients and (editorial), 686  
pediatric cardiac arrhythmias and, 710
- pulse oximetry  
misunderstanding of readings, potential hazard associated with (letter), 97  
performance, during Valsalva maneuver, 765  
signal loss, digital nerve block restoration of, 815
- thermodilution  
cardiac output measurement, 455
- train-of-four stimulation  
visual assessment, 627
- ultrasound  
Doppler, transesophageal, cardiac output, during aortic reconstructive surgery, 705  
Doppler, transtracheal, cardiac output, 455
- Mediastinum**, see Anesthesia, thoracic
- Medicolegal**  
consent  
withholding sedatives and (letter), 361
- Metabolism**  
desflurane  
fluoride ion and, 180  
glucose  
maternal and neonatal, perioperative, in insulin-dependent diabetes mellitus, 105  
lactate  
maternal and neonatal, in insulin-dependent diabetes mellitus, 105  
protein  
amino acids, methylmalonyl-coenzyme A mutase deficiency, 499  
pyruvate  
maternal and neonatal, in insulin-dependent diabetes mellitus, 105
- Methohexital**, see Anesthetics, intravenous
- Methoxyflurane**, see Anesthetics, volatile
- Methylmalonyl-coenzyme A mutase deficiency**  
see Anesthesia, pediatric  
see Protein, amino acids, metabolism
- Metoclopramide**, see Gastrointestinal tract, stomach
- Microcirculation**  
arterioles  
dilation, serotonin effects, halothane and, 583
- Midazolam**  
see Hypnotics, benzodiazepines
- Monitoring**  
airway pressure  
leaks in circle system (letter), 236  
blood gas monitors  
intravascular, compared to conventional (letter), 830  
blood pressure  
tonometry, noninvasive, in controlled hypotension, 54  
breath sounds and heart

- stethoscope, stopcock position and (letter), 98
- cardiac output  
transesophageal Doppler, during aortic reconstructive surgery, 705
- continuous  
of pHa,  $P_{aCO_2}$ ,  $P_{aO_2}$ , intraarterial, 43
- electrical stimulation  
transcranial, motor evoked responses to, isoflurane effects on, 410
- electrocardiography  
pediatric, cardiac arrhythmias and, 710
- evoked potentials  
motor, to transcranial electrical stimulation, isoflurane effects on, 410
- somatosensory, during carotid endarterectomy, head position and, 649
- somatosensory, regional hypothermia effects on, 653
- neuromuscular  
vocal cords and adductor pollicis muscle, succinylcholine effects on, 278
- oxygen  
mixed venous saturation, during aortic surgery, 530
- Monitors**, see Monitoring
- Morphine**  
see Analgesics  
see Anesthetic techniques, epidural  
see Potency, anesthetic, tolerance
- Muscle**  
skeletal  
adductor pollicis, succinylcholine effects on, 278  
masseter, spasm, in children, triggering agents continued after (letter), 364  
masseter, spasm, in children (letter), 361  
serotonin-induced vasoconstriction, halothane and, 583
- Mydriasis**, see Eye
- Myocardium**  
see Heart, blood flow, myocardial  
see Heart, oxygen consumption, myocardial
- Nalbuphine**, see Analgesics
- Naloxone**, see Antagonists, narcotic
- Narcotics**, see Analgesics
- Neuromuscular blockade**, see Neuromuscular relaxants
- Neuromuscular relaxants**  
atracurium  
liver transplantation, dose requirements, 794  
neuromuscular blockade  
versus neuromuscular "block" (letter), 669  
pancuronium  
dialysate, recovery from, in burned child, 83  
liver transplantation, dose requirements, 794  
oculocardiac reflex effects, in children, 25  
succinylcholine effects on (letter), 237
- pipecuronium  
succinylcholine effects on (letter), 237
- succinylcholine  
asystole after, 818  
doxacurium-induced neuromuscular blockade and (letter), 237  
masseter muscle spasm and (letter), 364  
vocal cord and adductor pollicis muscle effects, 278
- vecuronium  
cerebral palsy and, 275  
distribution, elimination, and action, in elderly, 39  
requirements during halothane-narcotic-nitrous oxide, isoflurane-narcotic-nitrous oxide, narcotic-nitrous oxide anesthesia, pediatric, 33
- Neuromuscular transmission**  
stimulator, nerve, submaximal currents, visual assessment of train-of-four and double burst-induced fade at, 627
- Neurosurgical anesthesia**, see Anesthesia, neurosurgical
- Nicardipine**, see Pharmacology
- Nitroprusside**  
see Anesthetic techniques, hypotensive  
see Pharmacology
- Nitrous oxide**, see Anesthetics, gases
- Obesity**, see Complications
- Obstetrics**, see Anesthesia
- Occlusion pressure**, see Lung
- Ocfentanil**, see Anesthetics, intravenous
- Oculocardiac reflex**, see Anesthesia, ophthalmologic
- Ondansetron**, see Vomiting, antiemetics
- Ophthalmologic anesthesia**, see Anesthesia
- Opioids**, see Analgesics
- Organizations**  
International Anesthesia Research Society, seal (letter), 830
- Outpatient anesthesia**, see Anesthesia
- Oximetry**, see Measurement techniques
- Oxycodone**, see Analgesics
- Oxygen**  
consumption  
brain, halothane effects on, 758  
heart, phenylephrine effects on, 283  
uptake  
aortic surgery and, 530  
cerebral circulation and (letter), 504
- Oxygen concentrator**, see Equipment
- Oxygen economizer tube**, see Equipment, tubes
- Oxygen saturation**, see Monitoring, oxygen
- P300**, see Recovery
- $P_{aCO_2}$** , see Monitoring, continuous
- Pain**  
back  
after epidural anesthesia with chloroprocaine (letter), 232
- causalgia  
caused by telephone-mediated lightning electrical injury, interpleural block treatment of (letter), 507
- measurement  
lidocaine pH and intravenous catheter gauge and, 469
- patient-controlled analgesia  
obstetric, epidural, demand dosing, 547  
obstetric, metoclopramide as adjunct to, 553
- phantom limb  
intrathecal drug infusion, 226
- postoperative  
arthroscopy, bupivacaine effects on, 536  
bupivacaine, continuous epidural, epidural fentanyl and, 132  
cholecystectomy, bupivacaine, interpleural, comparison of 40 milliliters of 0.25% with epinephrine with 20 milliliters of 0.5% with epinephrine, 397  
fentanyl, continuous epidural or PCA, epidural bupivacaine and, 132  
ketorolac, bleeding diathesis and (letter), 235  
laparoscopic tubal ligation, dexmedetomidine effects on, 112  
sufentanil dose-response in gynecologic surgery, 405
- spasticity  
spinal infusion based treatment, subcutaneously implanted pumps, 226
- Pancuronium**, see Neuromuscular relaxants
- $P_{aO_2}$** , see Monitoring, continuous
- Parasympathetic nervous system**  
scopolamine  
mydriasis (letter), 824
- Patent ductus arteriosus**, see Heart, congenital defects
- Patient-controlled analgesia**, see Pain
- Pediatric anesthesia**, see Anesthesia
- pH**, see Acid-base equilibrium
- pHa**, see Monitoring, continuous
- Phantom limb**, see Pain
- Pharmacodynamics**  
morphine  
brain concentration, 619  
vecuronium

- in elderly, 39
- Pharmacokinetics**
  - desflurane, 209
  - enflurane
    - age effects on, 310
  - halothane, 209
    - age effects on, 310
  - isoflurane, 209
    - age effects on, 310
  - methoxyflurane
    - age effects on, 310
  - sufentanil
    - in obese patients, 790
- Pharmacology**
  - dantrolene (letter), 364
  - nicardipine
    - induced hypotension, 341
  - nitroprusside
    - induced hypotension, 59, 341
    - induced hypotension, cerebral autoregulation effects, 745
  - phosphodiesterase inhibitors, 76
  - trimethaphan
    - induced hypotension, 59
- Pharynx**, see Complications, trauma
- Phenylephrine**, see Sympathetic nervous system, pharmacology
- Pheochromocytoma**, see Surgery
- Phosphodiesterase inhibitors**
  - see Enzymes
  - see Pharmacology
- Physics**
  - flow
    - pulmonary artery catheter components and, 573
- Pilocarpine**
  - see Anesthesia, ophthalmologic
  - see Parasympathetic nervous system
- Pipecuronium**, see Neuromuscular relaxants
- Pneumonitis**, see Complications, aspiration pneumonitis
- Position**
  - effects
    - cardiovascular, ischemia, 649
    - circulatory, spinal anesthesia and, 385
  - lateral
    - full-flexed and non-full-flexed, cerebrospinal fluid pressure difference between, spinal anesthesia level prediction and, 391
  - prone
    - lumbar laminectomy, venous air embolism during, 346
  - respiratory function and ribcage contribution to ventilation and, 422
- Positive end-expiratory pressure**, see Ventilation
- Potency, anesthetic**
  - isoflurane, L-644,711 effects on, 199
  - tolerance
    - morphine, 619
- Prader-Willi syndrome**, see Complications
- Premedication**
  - atropine
    - oral, halothane cardiovascular depression and, 271
  - butylscopolamine
    - intravenous, transient anisocoria after (letter), 97
  - clinical and metabolic responses, 49
  - clonidine
    - anxiety control, temazepam, timolol compared to, 633
    - ventilatory effects, 799
  - glycopyrrolate
    - oral, halothane cardiovascular depression and, 271
  - ranitidine
    - gastric fluid acidity effects, 787
  - temazepam
    - anxiety control, clonidine, timolol compared to, 633
  - timolol
    - anxiety control, temazepam, clonidine, compared to, 633
- Pressure sores**, see Complications
- Propofol**, see Anesthetics, intravenous
- Prostaglandin**, see Hormones
- Protein**
  - amino acids
    - metabolism, methylmalonyl-coenzyme A mutase deficiency, 499
- Psychological responses**
  - related to anesthesia
    - survey of, 190
- Publications**
  - Anesthesia & Analgesia* (editorial), 1
  - Anesthesia and Analgesia*
    - percentage share of (letter), 233
  - Anesthesiology*
    - percentage share of (letter), 233
- Pulmonary artery catheter**, see Equipment, catheters
- Pulse oximetry**, see Measurement techniques
- Punctate lesions**, see Complications
- Purkinje fibers**, see Heart
- Pyruvate**, see Metabolism
- Radioactive tracers**, see Measurement techniques, cardiac output
- Ranitidine**, see Premedication
- Reaction time**, see Recovery
- Receptors**
  - adrenergic
    - agonists,  $\alpha_2$ , dexmedetomidine, 204
    - agonists, imidazole, 294
  - glucocorticoid
    - dexmedetomidine effects on, 204
  - pressoreceptors
    - stimulation, cardiovascular responses to, isoflurane, midazolam, etomidate effects on, 64
- Recovery**
  - anesthesia
    - desflurane, psychomotor performance, isoflurane compared to, 260
    - isoflurane, psychomotor performance, desflurane compared to, 260
  - attention
    - midazolam effects on, 612
  - outcome
    - vascular surgery, epidural anesthesia and analgesia effects on, 696
  - P300
    - midazolam effects on, 612
  - reaction time
    - midazolam effects on, 612
- Regional anesthesia**, see Anesthetic techniques
- Renal**
  - see Complications
  - see Kidney
- Respiration**, see Ventilation
- Respiratory tract infection**, see Infection, upper respiratory
- Resuscitation**
  - see Complications, cardiac arrest
  - see Ventilation, artificial
- Reticular formation**, see Brain
- Ribcage**
  - contribution to ventilation, body position and, 422
- Ropivacaine**, see Anesthetics, local
- Saline**, see Fluid balance
- Scalp infiltration**, see Anesthetic techniques, regional, infiltration
- Sclerodema**, see Complications
- Scopolamine**
  - see Anesthesia, ophthalmologic
  - see Eye, mydriasis
  - see Parasympathetic nervous system
  - see Premedication, butylscopolamine
- Sedatives**, see Hypnotics
- Serotonin**
  - see Muscle, skeletal
  - see Sympathetic nervous system
- Sevoflurane**
  - see Anesthetics, volatile
  - see Biotransformation, drug
- Shock**
  - electrical, 355
    - lightning, telephone-mediated, causalgia from (letter), 507
  - hemorrhagic
    - hypertonic hyperoncotic fluid resuscitation after, 738
  - hypoperfusion
    - positive end-expiratory pressure, arterial and mixed venous blood acid-base balance during, 576
- Shunt**, see Lung, shunting
- Sinatrial node**, see Heart
- Skin**
  - galvanic response
    - sympathetic nerve activity in regional anesthesia and, 138
  - vasoconstriction

- sweating threshold and, isoflurane effects on, 300
- Somatosensory evoked responses**, see Monitoring, evoked potentials
- Spasticity**, see Pain
- Spinal anesthesia**, see Anesthetic techniques
- Spinal cord**
- anterior spinal artery syndrome after epidural anesthesia in pregnant diabetic scleredema patient, 90
  - blood flow
  - isoflurane effects, 753
  - cerebrospinal fluid
    - pressure, epidural injection and (letter), 668
    - pressure, spinal anesthesia level and, full-flexed and non-full-flexed lateral position and, 391
- Stellate ganglion block**, see Anesthetic techniques, regional
- Stethoscope**, see Equipment
- Stimulator, nerve**, see Neuromuscular transmission
- Stomach**, see Gastrointestinal tract
- Succinylcholine**, see Neuromuscular relaxants
- Sufentanil**, see Analgesics
- Supraorbital nerve block**, see Anesthetic techniques, regional
- Surgery**
- aneurysm
    - abdominal aortic, hypocalcemia after, in renal insufficiency patient, 638
    - aortic, oxygen uptake and mixed venous oxygen saturation and, 530
  - cardiovascular
    - cardiopulmonary bypass, halothane ventricular function effects and, 513
    - coronary artery bypass grafting, adenosine effects on myocardial blood flow and metabolism after, 689
    - coronary artery bypass grafting, hemodynamic responses to endotracheal extubation after, lidocaine effects on, 10
    - coronary artery bypass grafting, nalbuphine, fentanyl comparisons in, 521
    - coronary artery bypass grafting, remote synergy detected by biplane transesophageal echocardiography during, 642
  - carotid endarterectomy
  - somatosensory evoked responses changes, head position and, 649
  - endoscopy
    - mask, Patil-Syracuse, potential complication of (letter), 668
  - gynecologic
    - hysteroscopic, Hyskon levels during, 186
    - tubal ligation, laparoscopic,
      - postoperative pain, dexmedetomidine effects on, 112
  - laminectomy
    - lumbar, in prone position, venous air embolism during, 346
  - laparoscopy
    - postoperative analgesia, ibuprofen compared to fentanyl, 250
    - tubal ligation, postoperative pain, dexmedetomidine effects on, 112
  - laser
    - CO<sub>2</sub>, reflection of radiation from laser-resistant endotracheal tubes, 338
    - fires, 338
  - neurologic
    - cerebrovascular, carotid endarterectomy, cerebral blood flow reactivity to carbon dioxide during halothane versus isoflurane, 416
  - pediatric
    - laryngotracheal reconstruction, perioperative management, 483
  - pheochromocytoma
    - truncus arteriosus and Eisenmenger's syndrome associated with, 496
  - transplantation
    - kidney, pediatric, with adult kidney, anesthetic management, 725
    - liver, vecuronium, pancuronium, atracurium dose requirements during, 794
  - vascular
    - aortic reconstructive, transesophageal Doppler cardiac monitoring during, 705
    - epidural anesthesia and analgesia effects on coagulation and outcome, 696
- Sympathetic nervous system**
- $\beta$ -adrenergic antagonists
    - electroconvulsive therapy, cardiovascular and neuroendocrine responses and, 563
  - blockade
    - in regional anesthesia, galvanic skin response and, 138
  - catecholamines
    - clonidine effects on, 460
    - electroconvulsive therapy, cardiovascular and neuroendocrine responses and, 563
    - nalbuphine, fentanyl effects, coronary artery bypass surgery and, 521
  - hypoxia effects on
    - halothane modification of, 319
  - pharmacology
    - adenosine, supraventricular tachycardia termination with, pediatric, 665
    - amiodarone, intraoperative pulmonary edema and, 821
    - clonidine, plasma catecholamine and outcome from incomplete ischemia effects, 460
    - clonidine, premedication, ventilatory effects, 799
    - dexmedetomidine, intravenous, laparoscopic tubal ligation pain effects, 112
    - dobutamine, cardiac contractility effects, enflurane and, 590
    - epinephrine, epidural morphine analgesia and side effects and, 119
    - epinephrine, threshold for slow responses development in trabeculae, halothane effects on, 449
    - epinephrine wash (letter), 673
    - esmolol, as supplement to propofol-N<sub>2</sub>O anesthesia, alfentanil compared with, 540
    - esmolol, electroconvulsive therapy, cardiovascular and neuroendocrine responses and, 563
    - labetalol, electroconvulsive therapy, cardiovascular and neuroendocrine responses and, 563
    - phenylephrine, myocardial oxygen supply/demands and, 283
- Syringes**
- see Complications
  - see Equipment
- Tachycardia**, see Heart, arrhythmias
- Temazepam**, see Premedication
- Temperature**
- regulation
    - sweating threshold, isoflurane effects on, 300
- Theories of anesthetic action**
- anion transport inhibitor, L-644,711, isoflurane MAC effects, 199
- Thermomodulation**, see Measurement techniques
- Thiopental**, see Anesthetics, intravenous
- Timolol**, see Premedication
- Tolerance**, see Potency, anesthetic
- Tonometry**, see Measurement techniques, blood pressure
- Toxicity**
- local anesthetics
    - bupivacaine, treatment, 373
    - desflurane, in guinea pig liver slices (letter), 830
    - isoflurane, in guinea pig liver slices (letter), 830
    - ropivacaine, treatment, 373
- Tracheal intubation**, see Intubation
- Train-of-four stimulation**, see Measurement techniques
- Trauma**, see Complications
- Trimethaphan**
- see Anesthetic techniques, hypotensive
  - see Pharmacology
- Tubal ligation**
- see Surgery, gynecologic
  - see Surgery, laparoscopy
- U50488H**, see Analgesics

**Ultrasound, see Measurement techniques**

**Valsalva maneuver, see Anesthesia, obstetric**

**Vaporizers, see Equipment**

**Vascular capacitance, see Heart**

**Vascular pressures, see Heart**

**Vasoconstriction, see Skin**

**Vasopressin, see Hormones, antidiuretic**

**Vecuronium**

see Neuromuscular relaxants

see Pharmacodynamics

**Ventilation**

artificial

cardiopulmonary resuscitation, end-tidal  $P_{CO_2}$  effects on cardiac output and, 808

do-not-resuscitate (DNR) patient, ethical issues in, 221

clonidine premedication effects on, 799  
dead space

arterial and mixed venous blood acid-base balance during hypoperfusion with incremental positive end-expiratory pressure, 576

increase,  $PEtCO_2$  reduction from, 808

halothane effects on, 327

high-frequency

inhaled anesthesia administration with, 465

one-lung

patent ductus arteriosus, hypoxic pulmonary vasoconstriction and (letter), 358

positive end-expiratory pressure

hypoperfusion and, arterial and mixed venous blood acid-base balance during, 576

respiratory function and ribcage

contribution to, body position and, 422

sevoflurane effects on, 327

spontaneous

desflurane effects on, nitrous oxide and, 165

nitrous oxide effects on, desflurane and, 165

**Ventricles, see Heart**

**Vocal cords, see Larynx**

**Vomiting**

antiemetics

ondansetron, 246

ondansetron, after outpatient

laparoscopy, 250

ondansetron (editorial), 243

induction of (letter), 360